DUMPSQUEEN

CA ARCserve Backup r16.x Administrator Certification Exam

CA Technologies CAT-380

Version Demo

Total Demo Questions: 10

Total Premium Questions: 65

Buy Premium PDF

dumpsqueen.com

DUMPSQUEEN

QUESTION NO: 1

Which restore type for SQL Server databases always restores the primary FileGroup and any other FileGroups you specify as a new database?

A. Partial

B. Database

C. Transaction Log

D. Torn Page Repair – Online

ANSWER: A

Explanation:

http://www.ca.com/us/~/media/Files/Certification%20Guides/CA-ARCserve-Backup-r16x-Administrator.pdf

QUESTION NO: 2

In which circumstances might you need to reinitialize the CA ARCserve Backup database? (Choose two)

A. When you suspect SQL Server indexes need to be rebuilt

B. When the CA ARCserve Backup database cannot be started

C. When the CA ARCserve Backup database cannot be recovered from a disaster using ARCserve Database Recovery Wizard

D. When the CA ARCserve Backup database was backed up in a CA ARCserve Backup domain that is different from the CA ARCserve Backup domain that is using the database

ANSWER: B C

QUESTION NO: 3

Which filter options are available for the Audit Log? (Choose three)

A. User

B. Priority

C. Session

D. Event Types

E. Source Process

ANSWER: A D E

QUESTION NO: 4

CA ARCserve Backup can automatically populate the CA ARCserve Backup database with virtual machine (VM)-related information using Auto-populate VM. You can specify the Autopopulate VM frequency when you configure the Agent for Virtual Machines. What is the default frequency?

A. 1 hour

B. 12 hour

C. 24 hour

D. 7 days

ANSWER: C

Explanation:

http://www.ca.com/us/~/media/Files/Certification%20Guides/CA-ARCserve-Backup-r16x-Administrator.pdf

QUESTION NO: 5

You are configuring a SQL Server database restore job. You want the restore operation to roll back any uncommitted transactions. Which Recovery Completion State option should you use?

A. Leave torn page repairs offline.

B. Leave database read-only and able to restore additional transaction logs.

C. Leave database operational. No additional transaction logs can be restored.

D. Leave database non-operational, but able to restore additional transaction logs.

ANSWER: C

QUESTION NO: 6

After you complete the Diagnostic Wizard in the CA ARCserve Backup Diagnostic Utility, a file is created. In which GUI do you view this file?

A. Report Manager

B. Job Status Manager

C. Diagnostic Log Manager

D. Diagnostic Report Manager

ANSWER: D

QUESTION NO: 7

Which types of Exchange Server 2010 backups and restores can you perform using the CA ARCserve Backup Agent for Microsoft Exchange? (Choose two)

A. Session level backups and restores

B. Domain level backups and restores

C. Database level backups and restores

D. Document level backups and restores

ANSWER: C D

Explanation:

http://www.ca.com/us/~/media/Files/Certification%20Guides/CA-ARCserve-Backup-r16x-Administrator.pdf

QUESTION NO: 8

What is the benefit of using Changed Block Tracking when VDDK is your incremental or differential backup method?

A. It only backs up the active blocks.

B. It enables you to back up the entire disk.

C. It only backs up the unchanged blocks of data.

D. It eliminates the need to back up changed blocks.

ANSWER: A

QUESTION NO: 9

In each remote CA ARCserve domain installation, a Branch Primary server: (Choose three)

A. is installed as a designated machine

B. collects the data for the local domain

C. reports to multiple Central Primary servers

D. is created when each remote CA ARCserve domain is installed

E. sends collected data to the CA ARCserve Backup database (ASDB) on the Central Primary server.

ANSWER: B D E

Explanation:

http://www.ca.com/us/~/media/Files/Certification%20Guides/CA-ARCserve-Backup-r16x-Administrator.pdf

QUESTION NO: 10

Which options do you need to set for a SharePoint database level backup job? (Choose three)

A. Backup method

B. Backup dump path

C. Backup dump location

D. Backup encryption method

E. Backup proxy mount location

ANSWER: A B C