

DUMPSQUEEN

CA Unified Infrastructure Management 8.x Proven Professional Exam

CA Technologies CAT-540

Version Demo

Total Demo Questions: 5

Total Premium Questions: 40

Buy Premium PDF

<https://dumpsqueen.com>

support@dumpsqueen.com

dumpsqueen.com

QUESTION NO: 1

You create an account for ClientA with ownership limited to the corresponding origin, and you add Bruce Adams as a contact for the account.

You assign a ClientAOperator access control list (copied from the Operator ACL) to Bruce. When Bruce logs in to the UMP for the first time:

- A. he will receive an error message if he attempts to access Performance Reports Designer (PRD).
- B. he will be prompted to create his first custom dashboard.
- C. he will be prompted to select which elements will appear in the tree view.
- D. he will only be able to view machines with an origin of ClientA.

ANSWER: B

QUESTION NO: 2

In CA UIM 8.5.1. which probes are covered by Monitoring Configuration Service (MCS) templates? (Choose three.)

- A. snmpcollector
- B. vmware
- C. vmax
- D. cdm and ntevl
- E. dirscan

ANSWER: B D E

QUESTION NO: 3

You can save time during robot deployment by using an answer file, which can be used with the CA UIM native installer or third-party tools.

Which variables are REQUIRED in the answer file? (Choose four.)

- A. domain
- B. hubip
- C. robotip

D. hubrobotname

E. hub

ANSWER: A B D E

Explanation:

Reference: <https://docops.cA.com/ca-unified-infrastructure-management/8-5-1/en/installing-ca-uim/deployrobots/deploy-robots-in-bulk-with-a-third-party-tool-and-native-installers>

QUESTION NO: 4

Which CA UIM Alarm Server (NAS) feature can be enabled automatically on a secondary NAS during HA failover?

A. Bidirectional forwarding

B. NiS bridge

C. Auto-Operator (AO)

D. Pre-processing rule enablement

ANSWER: C

QUESTION NO: 5

You need to define a proxy connection between an Apache server and a UMP server when you:

A. use sticky sessions in a load-balancing configuration.

B. set up access to the UMP through a DMZ.

C. configure the UMP to use SSL communication exclusively.

D. implement multiple UMP servers.

ANSWER: B

Explanation:

Reference: <https://comm.support.cA.com/kb/how-to-setup-access-to-ump-in-the-dmz-using-apache-httpserver-as-a-proxy/kb000033967>