## **Enterprise Network Unified Access Essentials**

Cisco 500-451

**Version Demo** 

**Total Demo Questions: 5** 

Total Premium Questions: 36 Buy Premium PDF

> https://dumpsqueen.com support@dumpsqueen.com

dumpsqueen.com

### **Topic Break Down**

Торіс	No. of Questions
Topic 1, Wired Unified Access Infrastructure and Advanced Features	5
Topic 2, Prime Infrastructure Setup for Wired and Wireless Clients	4
Topic 3, Basic Cisco ISE AAA and Guest Server Setup for Wired and Wireless Networks	4
Topic 4, Building the Wireless Network	4
Topic 5, Converged Access Solution	4
Topic 6, Securing Any Access	5
Topic 7, SmartOperations Overview Including EEM with GOLD and IP SLA	3
Topic 8, Application Visibility and Control Overview and Configuration	3
Topic 9, Monitoring, Reporting, and Troubleshooting with PI and ISE	4
Total	36

#### **QUESTION NO: 1**

Which three components are part of a Unified Access solution? (Choose three.)

- A. One Policy (Cisco ISE)
- B. One Management (Cisco Prime)
- C. One Network (wired, wireless, VPN access)
- D. One Controller (Converged)
- E. One Solution
- F. One Security

#### ANSWER: A B C

#### **QUESTION NO: 2**

Which access categories are defined in the Wi-Fi Alliance Wireless Multimedia certification?

- A. Voice, Video, Best Effort, Background
- B. 802.11b, 802.11g, 802.11a, 802.11n
- C. 802.11k, 802.11r, 802.11w, 802.11ac
- D. Expedite Forwarding, Assured Forwarding, Data, Scavenger Traffic

#### **ANSWER: A**

#### **QUESTION NO: 3**

When a user gets redirected to the device registration portal, which important information field is prepopulated by ISE?

- A. user's username
- B. user's first and last name
- C. device ID with IP address
- D. device ID with MAC address

#### ANSWER: D

#### **QUESTION NO: 4**

When configuring the RADIUS server between ISE and the network access device, there are many different types of NADs. Which option is the NAD?

- A. Cat2960 Access Switches
- B. CAP-3600 Access Point in Local mode
- C. CT 5508 Wireless LAN Controller
- D. Cisco Prime Infrastructure
- E. AnyConnect wireless client

#### ANSWER: C

#### **QUESTION NO: 5**

A network administrator is using the Embedded Event Manager, which is supporting multiple actions initiated from the script. Which two policy actions can be used within the EEM? (Choose two)

- A. Execute a Tcl script.
- B. Send an email.
- **C.** Run another policy.
- D. Hot swap the supervisor.
- E. Manually send an SNMP trap.

#### ANSWER: B C