# **BTA Certified Blockchain Security Professional**

**Blockchain CBSP** 

**Version Demo** 

**Total Demo Questions: 10** 

Total Premium Questions: 91

**Buy Premium PDF** 

https://dumpsqueen.com

support@dumpsqueen.com

dumpsqueen.com

QUESTION NO: 1
Sidechains can benefit the mainchain in what ways? Select all that apply
A. Speed
B. Functionality
C. Scalability
D. Security
ANSWER: B C
AROWER, DO
QUESTION NO: 2
Which of the following attacks were enabled by design decisions made by the blockchain's developers? Select all that apply
A. Bitcoin
B. EOS
C. Verge
D. List
ANSWER: C D
ANSWER. C D
QUESTION NO: 3
Which of the following are good ways to get pseudo-random numbers for smart contracts?
A. Private variables
B. Private functions
C. Block hashes
D. External oracle
ANSWER: D

#### **Explanation:**

#### **QUESTION NO: 4**

Which smart contract auditing strategy identities which variables in the function can be affected by the person running it?

- A. Manual Code Analysis
- **B.** Symbolic Execution
- **C.** Taint Analysis
- D. Control Flow Analysis

#### **ANSWER: B**

#### **QUESTION NO: 5**

Which of the following are common inputs to the algorithm to select the next block creator in Proof of Stake? Select all that apply

- A. Age of User Account
- B. Time Since Last Chosen to Create a Block
- C. Stake Size
- D. User Activity on the Blockchain

#### ANSWER: B C D

#### **QUESTION NO: 6**

Which of the following features were exploited as part of the Verge cryptocurrency hack?

Select all that apply.

- A. Mining Difficulty Update Function
- B. Multiple Hash Functions
- C. Timestamp Flexibility

D. Short Addresses
ANSWER: A D
QUESTION NO: 7
Compromising blockchain accounts is beneficial to which of the following types ot attacks?
A. 51% Attack
B. Eclipse Attack
C. Routing Attack
D. Sybil Attack
E. All of the above
ANSWER: D
QUESTION NO: 8
All smart contracts are audited for correctness and checked for malicious code before being uploaded to the blockchain.
A. True
<b>B.</b> False
ANSWER: B
QUESTION NO: 9
Which type of attack misuses Internet protocols to attack the blockchain? Select all that apply.
A. Denial of Service
B. Eclipse
C. Sybil
<b>D.</b> Routing

#### **ANSWER: A B C**

#### **QUESTION NO: 10**

Ring signatures are designed to do which of the following?

- **A.** Conceal transaction amount
- B. Conceal transaction recipient
- C. Conceal shared secret
- D. Conceal transaction sender

**ANSWER: D**