

DUMPSQUEEN

Specialist - Systems Administrator, VxRail Appliance Exam

EMC DES-6332

Version Demo

Total Demo Questions: 10

Total Premium Questions: 120

Buy Premium PDF

<https://dumpsqueen.com>

support@dumpsqueen.com

dumpsqueen.com

QUESTION NO: 1

What is a consideration when planning for expansion of an existing 4 node all-flash VxRail Cluster?

- A. New nodes can contain hybrid, all-flash, or NVMe disks
- B. Multiple new nodes can be added at the same time
- C. New nodes must be identical to the existing nodes
- D. New nodes can be any processor family

ANSWER: A

QUESTION NO: 2

You are a VxRail system administrator and have received an email alert that a power on the VxRail has occurred. You contact Dell EMC Support and they ask you to run VxRail system diagnostics and send them a log.

Under which tab in VxRail Manager can you find the appropriate Diagnostics button?

- A. System Diagnostic
- B. System Health
- C. Config Health
- D. Config General

ANSWER: D

Explanation:

Reference: <https://www.dell.com/technologies/en-us/asset/technical-guides-support-information/products/converged-infrastructure/docu86660.pdf> (44)

QUESTION NO: 3

You are planning to install CloudArray Virtual Edition. Where should you navigate to in VxRail Manager?

- A. Config > System
- B. Config > General
- C. Support > Download

D. Config > Market

ANSWER: C

QUESTION NO: 4

Use what network configuration is considered a best practice for VxRail clusters?

- A. Traffic segmentation with VLANS
- B. Available Production Ports
- C. Available Management Ports
- D. IPv6 Multicast

ANSWER: C

QUESTION NO: 5

What are the activities that can be performed from the Node Information panel of the VxRail Manager Physical back view of a VxRail E series node?

- A. Replace Disks Shut down
- B. Add Disks
Shut down
Toggle Chassis LED
- C. Replace Disks
Shut down
Toggle Chassis LED
- D. Add Disks Toggle Disk LEDs

ANSWER: B

Explanation:

Reference: <https://www.dellemc.com/resources/en-us/asset/technical-guides-support-information/products/converged-infrastructure/docu86660.pdf> (38)

QUESTION NO: 6

What is the minimum recommended number of hosts in a vSAN cluster for FTT = 2 and FTM = Erasure Coding?

- A. 4
- B. 5
- C. 6
- D. 7

ANSWER: C

Explanation:

Reference: <https://storagehub.vmware.com/t/vmware-vsan/vmware-vsan-demonstrations/vsan-resilience-and-data-placement/>

QUESTION NO: 7

What is the maximum number of nodes supported in a VxRail cluster with 1 GbE networking?

- A. 4
- B. 8
- C. 12
- D. 16

ANSWER: B

Explanation:

Reference: <https://infohub.delltechnologies.com/l/techbook-dell-emc-vxrail-system-2/1gbe-network-option-2#:~:text=The%20maximum%20supported%20node%20count,with%20the%20number%20of%20nodes>

QUESTION NO: 8

Which VxRail model series supports only hybrid disks?

- A. S Series
- B. P Series
- C. E Series
- D. G Series

ANSWER: D

Explanation:

Reference: <https://www.dellemc.com/en-us/collaterals/unauth/data-sheets/products/converged-infrastructure/h16763-vxrail-14g-spec-sheet.pdf>

QUESTION NO: 9

You are checking the overall health of the VxRail vSAN environment. Which VMware interface are you using?

- A. vSphere Web Client
- B. vSphere Client
- C. Host Client
- D. Update Manager

ANSWER: B

QUESTION NO: 10 - (DRAG DROP)

DRAG DROP

What is the order of steps to generate the SolVe procedure to add a capacity drive to a VxRail node?

Select and Place:

Select a VxRail model and software version	Step 1
Select VxRail Appliance	Step 2
Select Hardware Upgrade / Expansion Procedures	Step 3
Generate procedure	Step 4
Select Capacity Drive (HDD/SSD) Expansion	Step 5

ANSWER:

Generate procedure

Select Hardware Upgrade / Expansion Procedures

Select Capacity Drive (HDD/SSD) Expansion

Select VxRail Appliance

Select a VxRail model and software version

Explanation:

Reference: <https://www.dell.com/support/kbdoc/en-ie/000022572/vxrail-where-do-i-locate-vxrail-procedural-documentation>