

DUMPSQUEEN

Nuage Networks Virtualized Cloud Services (VCS) Fundamentals

Nokia 4A0-N01

Version Demo

Total Demo Questions: 6

Total Premium Questions: 64

Buy Premium PDF

<https://dumpsqueen.com>

support@dumpsqueen.com

dumpsqueen.com

QUESTION NO: 1

Which of the following interfaces is not supported on VSC?

- A. API interface
- B. BGP interface
- C. Openflow interface
- D. XMPP interface

ANSWER: A

Explanation:

Reference: <https://www.nuage networks.net/wp-content/uploads/2020/06/>

Nuage_Networks_Service_Chaining_Technical_Description_Document_EN-compressed.pdf

QUESTION NO: 2

What statement regarding the VRS-G is FALSE?

- A. The VRS-G is the software VXLAN/VLAN gateway of the Nuage Networks VCS solution.
- B. The VRS-G is deployed on a hypervisor, following the same deployment requirements as a regular VRS.
- C. Virtual machines created on the hypervisor are attached to access ports on VRS-G.
- D. The network ports on VRS-G point towards the Nuage Networks overlay VXLAN network.

ANSWER: B

Explanation:

This permits the bridging of the hypervisor-focused overlay networking and physical devices in the data center.

Reference: <https://juju charms.com/nuage-vrsg/>

QUESTION NO: 3

What statement about statistics rules on Nuage VCS is FALSE?

- A. Users can define statistics rules for domain/zones/subnets/vPorts. The rule applied to the most granular object is the one used.

- B. Statistics are collected in an Elasticsearch statistics engine and are aggregated over hours, days, and months.
- C. Statistics are pushed from VRS up to VSC, which in turn sends them to the VSD stats engine.
- D. When a TCA threshold is exceeded, an event is displayed in the UI and a message is sent on the JMS bus.

ANSWER: A

QUESTION NO: 4

Which of the following is NOT a goal of NFV?

- A. Reduce equipment cost
- B. Faster time-to-market for new services
- C. Efficiency through automation
- D. Increase network bandwidth

ANSWER: B

QUESTION NO: 5

What statement about stateful ACL entries is FALSE?

- A. They can track both TCP and UDP flows.
- B. They can be created in either ingress or egress directions.
- C. A packet in the direction of the stateful ACL rules will automatically create a "related" rule in the reverse direction.
- D. The automatically created rules will not go away until the ACL is manually deactivated and reactivated.

ANSWER: D

QUESTION NO: 6

What is NOT a service model in cloud computing? (Choose three.)

- A. Software as a Service (SaaS)
- B. Cloud as a Service (CaaS)
- C. Infrastructure as a Service (IaaS)

D. Platform as a Service (PaaS)

ANSWER: A C D

Explanation:

Reference: <https://www.openint1.com/the-three-service-models-of-cloud-computing/>