RCPE Certified Professional WAN Optimization

Riverbed 830-01

Version Demo

Total Demo Questions: 10

Total Premium Questions: 122

Buy Premium PDF

https://dumpsqueen.com

support@dumpsqueen.com

dumpsqueen.com

QUESTION NO: 1							
If you have changed your Secure Vault password, and subsequently lose the password, which of the following statements are true?							
A. The Administrator can supply a password							
B. If an appliance reboots and the administrator is not present to supply the password, the sensitive data on the SteelHead will be inaccessible							
C. The password can be reset only after erasing all the information contained within the secure vault							
D. All of the above							
ANSWER: A							
QUESTION NO: 2							
When configuring Path Selection and Interceptor Appliance Cluster, what is incompatible?							
A. IPv6							
B. VLAN segregation							
C. Xbridge feature							
D. All of the above							
ANSWER: C							
QUESTION NO: 3							
With authentication, a client can retrieve a single object with a single authentication.							
A. per-request							
B. per-connection							
C. per-server							
D. per-use							
E. per-se							

ANSWER: B							
Explanation:							
Reference: https://support.riverbed.com/bin/support/static/lrj6rq1evg0fnm7pekuq3j2md1/html/vte4p5uj2dkg9k1ukjv82835ci/sh_9.2_dg_p rotocols_html/index.html#page/sh_9.2_dg_protocols/http.html							
QUESTION NO: 4							
Which neighbour IP address must be specified when configuring connection forwarding?							
A. Any							
B. In-Path							
C. Auxiliary							
D. Primary							
E. Management IP							
ANSWER: B							
Explanation:							
Reference: https://support.riverbed.com/bin/support/static/pcr9vojfp932f0gmdicklcnkmq/html/iu06209f7na4qeqjk1le65qpu2/sh_ex_5.5_u g_html/index.html#page/sh_ex_5.5_ug_html/ setupAdvNet_forwarding.html							
QUESTION NO: 5							
What can the SCC use to create consistent configurations across a group of SteelHead appliances?							
A. Interceptor appliances							
B. Collectors							
C. Appliance Pages							
D. Analyzers							
E. Policies							
ANSWER: E							
Explanation:							

		_			
$\overline{}$	_ 1		re	 _	_

https://support.riverbed.com/bin/support/static/rt4i75hgms30icqvtg3df1a2ge/html/55698e06ksavhq637jn9mga965/scc_9.5_dg_html/index.html#page/scc_9.5_dg_html/overview.html

QUESTION NO: 6

You are configuring the Space Communications Protocol Specification (SCPS) Transport Settings to account for poor signal quality.

What setting should you choose?

- A. Per-Connection
- **B.** Error Recovery
- C. Error-Tolerant
- D. Bandwidth Estimation

ANSWER: C

Explanation:

Reference:

https://support.riverbed.com/bin/support/static/17qudtqont75l258qrbn4maj75/html/1mk0rjev5snblam40lgbg0mrgp/sh_9.5_dg _html/index.html#page/sh_9.5_dg/satellite.html

QUESTION NO: 7

Concerning SCCM High Availability, in the event of an SCCM failure, the remaining SCCM(s) assume all the licenses for how many days?

- **A.** 10
- **B.** 20
- **C.** 30
- **D.** 60

ANSWER: C

QUESTION NO: 8

Which of the following are advantages of a Virtual In-path Policy-based Routing (PBR) deployment?

A. Can be client or server side

- **B.** Asymmetry tolerant
- C. Compatible with IP v6
- D. Compatible with vast majority of routers
- E. All of the above

ANSWER: C

Explanation:

Reference:

https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=&ved=2ahUKEwjEs7uG5vbvAhXPasAKHfUgBJAQFjAGegQIAxAD&url=https%3A%2F%2Fsupport.riverbed.com%2Fbin%

2Fsupport%2Fdownload%3Fdid%3Doahqfgcn7gn062lbjvheud4lur%26version%3D9.9.0&usg=AOvVaw2VQ8M7xDUwXPLX 5Qc8wpXv

QUESTION NO: 9

What is the purpose of HTTP Automatic Configuration?

- A. Automatically initiate an evaluation of traffic to a new web server to determine the most optimal setting
- B. Auto-generate web SSL certificates to a new web server
- C. Automatically detect non-standard HTTP ports for optimization
- **D.** Allow server-side SteelHead appliances to automatically connect to web servers

ANSWER: D

Explanation:

Reference:

https://support.riverbed.com/bin/support/static/lrj6rq1evg0fnm7pekuq3j2md1/html/vte4p5uj2dkg9k1ukjv82835ci/sh_9.2_dg_protocols_html/index.html#page/sh_9.2_dg_protocols%2Fhttp.html% 23ww295009

QUESTION NO: 10

What does the SaaS Accelerator Manager (SAM) use to calculate the capacity of service instances in the SaaS service cluster based on the type of application?

- A. Bandwidth
- **B.** Throughput
- C. Total Data Reduction

D. Number of users

ANSWER: D

Explanation:

Reference:

https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=&ved=2ahUKEwiO7quJwfbvAhVRe8AKHb4BDPMQFj AAegQIBxAD&url=https%3A%2F%2Fsupport.riverbed.com%2Fbin%
2Fsupport%2Fdownload%3Fdid%3D3h2gbqnl1rsd1qht52p4lv0jmo%26version%3D1.1.0&usg=AOvVaw03c4Pw410CVlelxu3

5_gJf