Administration of Veritas InfoScale Storage 7.3 for UNIX/Linux

Veritas VCS-261

Version Demo

Total Demo Questions: 10

Total Premium Questions: 81

Buy Premium PDF

https://dumpsqueen.com support@dumpsqueen.com

dumpsqueen.com

QUESTION NO: 1

Which two caching modes are supported by SmartIO when a Veritas file system is mounted on a Veritas volume in a nonvirtual environment? (Choose two.)

- A. write caching
- B. write-back caching
- C. read caching
- D. read-back caching
- E. block-level read caching

ANSWER: B C

QUESTION NO: 2

Given the following command:

vxassist -g datadg make datavol 10g layout=stripe !ctrl:c2

Which instruction does the !ctrl:c2 attribute prompt Volume Manager to follow?

- A. to exclude devices connected to controller c2
- B. to exclude devices connected to all controllers except c2
- C. to exclude devices from enclosure named "ctrl"
- D. to exclude all but the fastest devices from controller c2

ANSWER: D

QUESTION NO: 3

Veritas File System is an extent based file system.

Which two pieces of information form the basis of an extent? (Choose two.)

- A. inode number
- B. offset

- C. length
- D. format
- E. block size

ANSWER: A B

QUESTION NO: 4

Which two commands can an administrator use to remove the datadg02 disk from the datadg disk group based on the following configuration? (Choose two.)

	Evaluation only. reated with As pose. Imaging	2.9	dofault	80000	1086905353	.6.treass	un40	
Copyri	ght 2010-2019 Aspose Pty according of	Disk 0	auto	20351	14332896	0 - 0		
dm	datadg02	Disk_8	auto	20351	14332896	0 -		
v	data	A. 3.	ENABLED	ACTIVE	6146304	ROUND	0- Q	gen
pl	data-01	data	ENABLED	ACTIVE	6146304	CONCAT	-20	RW
sd	datadg01-05	data-01	datadg01	22539839	6146304	0	Disk 0	ENA
pl	data-02	data	ENABLED	ACTIVE	6146304	CONCAT	Te Te	RW
sd	datadg02-03	data-02	datadg02	22539840	6146304	0	Disk_8	ENA

- A. vxdg
- B. vxdiskunsetup
- C. vxplex
- D. vxdisk
- E. vxvol

ANSWER. A D	

QUESTION NO: 5

Which attribute is used to create more than two mirrors of a volume?

A. nmirror

- B. ncol
- C. mirror

D. snapshot

ANSWER: C

QUESTION NO: 6

Which Veritas InfoScale Storage feature is used when migrating Veritas File System data from thick to thin LUNs?

- A. SmartIO
- B. SmartMove
- C. Compression
- D. SmartTier

ANSWER: B

QUESTION NO: 7

Refer to the exhibit.

tiva vation only. Created with Aspose. Imaging.	e 🛛 🕹	ENABLED	ACTIVE	2097152	SELECT		-03 f	sgen
ight 2010-2019 Aspose Pty	Ltd atavol	ENABLED	ACTIVE	2097152	STRIPE	2/128	RW	
datavo1-SU1	datavol-03	datavol-L	01 1	1048576	0/0	2/2	ENA	
datavol-L01	 	ENABLED	ACTIVE	1048576	SELECT	- 6.	fsgen	
datavol - P01	datavol-L01	ENABLED	ACTIVE	1048576	CONCAT	1 Co	RW	
datadg01-02	datavol-P01	datadg01	0	1048576	0	hds9500-	alua0_6	ENA
datavol-P02	datavol-L01	ENABLED	ACTIVE	1048576	CONCAT		RW	
datadg03-02	datavol-P02	datadg03	0	1048576	0	hds9500-	-alua0 B	ENA
datavol-S02	datavol-03	datavol-L	02 1	1048576	1/0	2/2	ENA	
datavol-L02	-	ENABLED	ACTIVE	1048576	SELECT	-	fsgen	
datavol-P03	datavol-L02	ENABLED	ACTIVE	1048576	CONCAT		RW	
datadg02 - 02	datavol-P03	datadg02	0	1048576	0	hds9500-	-alua0 7	ENA
datavol P04	datavol L02	ENABLED	ACTIVE	1048576	CONCAT	14. Te	RW	
datadg04-02	datavol-P04	datadg04	0	1048576	0	hds9500	alua0_9	ENA
	Created with Assosse. Imaging. Created with Assosse. Imaging. Created on the second	Created w fr Aspose. Imaging. Cight 2010-2010 Aspose Try Lid. Catavol-SUI Catavol-SUI Catavol-Coll Catavol-Coll Catavol-L01 Catavol-P01 Catavol-P02 Catavol-P02 Catavol-P02 Catavol-S02 Catavol-S02 Catavol-L02 Catavol-S02 Catavol-L02 Catavol-S02 Catavol-L02 Catavol-P03 Catavol-P03 Catavol-P03 Catavol-P03 Catavol-P03 Catavol-P03 Catavol-P03 Catavol-P03 Catavol-P03 Catavol-P03	Created with Aspose Imoging.ENABLEDCight 2010-2010 Aspose Pry Ltd.tavolENABLEDdatavol=SUIdatavol=03datavol=Ldatavol=COI-ENABLEDdatavol=COIdatavol=COIENABLEDdatavol=DO2datavol=P01datavol=COIdatavol=P02datavol=COIENABLEDdatavol=SO2datavol=COIENABLEDdatavol=SO2datavol=P02datavol=COIdatavol=SO2datavol=O3datavol=Ldatavol=P03datavol=LO2ENABLEDdatadgO2 - 02datavol=P03datadgO2datavol=F04datavol=LO2ENABLED	Created with Associal moghg.ENABLEDACTIVEight 2010-2010 Associal by LtdtavolENABLEDACTIVEdatavol-SUIdatavol-03datavol-L011datavol-L01-ENABLEDACTIVEdatavol-L01-ENABLEDACTIVEdatavol-D2datavol-L01ENABLEDACTIVEdatadg01-02datavol-L01ENABLEDACTIVEdatadg01-02datavol-L01ENABLEDACTIVEdatadg03-02datavol-D02datadg030datavol-S02datavol-03datavol-L021datavol-L02-ENABLEDACTIVEdatavol-D3datavol-L021ENABLEDdatavol-D3datavol-L0201datavol-P03datavol-L02ENABLEDACTIVEdatadg02 - 02datavol-P03datadg020datavol F04datavol L02ENABLEDACTIVE	Created w # Associal moghg. ENABLED ACTIVE 2097152 Created w # Associal moghg. ENABLED ACTIVE 2097152 Catavol-2010 Associal moghg. ENABLED ACTIVE 2097152 Catavol-SUI Catavol-03 datavol-L01 1 1048576 Catavol-L01 - ENABLED ACTIVE 1048576 Catavol-P01 datavol-L01 ENABLED ACTIVE 1048576 Catavol-P02 datavol-P01 datadg01 0 1048576 Catavol-P02 datavol-P02 datadg03 0 1048576 Catavol-S02 datavol-P02 datavol-L02 1 1048576 Catavol-S02 datavol-03 datavol-L02 1 1048576 Catavol-S02 datavol-03 datavol-L02 1 1048576 Catavol-P03 datavol-L02 ENABLED ACTIVE 1048576 Catavol-P03 datavol-P03 datadg02 0 1048576 Catavol-P04 datavol-P03 datadg02 0 1048576	InstructionEnableDACTIVE2097152SELECTInstructionItavolENABLEDACTIVE2097152STRIPEInstructionItavolItavolItavolENABLEDACTIVE2097152STRIPEInstructionItavolItavolItavolItavolItavolItavolItavolInstructionItavolItavolItavolItavolItavolItavolItavolInstructionItavolItavolENABLEDACTIVEItavolItavolItavolItatavolItavolItavolItavolItavolItavolItavolItavolItavolItatatadg01-02ItavolItavolItavolItavolItavolItavolItavolItavolItavolItatatadg03-02Itavol <t< td=""><td>Instruction ENABLED ACTIVE 209/152 SELECT datavol- ight 2010-2010 Assorse by ind itavol ENABLED ACTIVE 209/152 STRIPE 2/128 datavol-SUI datavol-03 datavol-L01 1 1048576 O/O 2/2 datavol-L01 - ENABLED ACTIVE 1048576 SELECT - datavol-L01 - ENABLED ACTIVE 1048576 CONCAT - datadg01-02 datavol-L01 ENABLED ACTIVE 1048576 CONCAT - datadg01-02 datavol-L01 ENABLED ACTIVE 1048576 O hds9500- datadg03-02 datavol-D02 datadg03 0 1048576 O hds9500- datavol-S02 datavol-D03 datavol-L02 1 1048576 1/0 2/2 datavol-P03 datavol-L02 ENABLED ACTIVE 1048576 SELECT - datavol-P03 datavol-D03 datavol-L02 1 1048576 CONCAT - datavol-P03 datavol-D03 datadg02<!--</td--><td>InstructionENABLEDACTIVE2097152SELECTdatavol-03fight 2010-2010Arbose Thy LtdtavolENABLEDACTIVE2097152STRIPE2/128RWdatavol-SUIdatavol-03datavol-L01110485760/02/2ENAdatavol-L01-ENABLEDACTIVE1048576SELECT-fsgendatavol-L01-ENABLEDACTIVE1048576CONCAT-RWdatadg01-02datavol-P01datadg0101048576CONCAT-RWdatadg03-02datavol-D01ENABLEDACTIVE10485760hds9500-alua0_6datavol-S02datavol-03datavol-L02110485761/02/2ENAdatavol-P03datavol-D03datavol-L02110485761/02/2ENAdatadg02 - 02datavol-D03datadg02010485760hds9500-alua0_Fdatavol-P03datavol-L02ENABLEDACTIVE10485760hds9500-alua0_Fdatavol-P03datavol-L02-ENABLEDACTIVE10485760hds9500-alua0_F</td></td></t<>	Instruction ENABLED ACTIVE 209/152 SELECT datavol- ight 2010-2010 Assorse by ind itavol ENABLED ACTIVE 209/152 STRIPE 2/128 datavol-SUI datavol-03 datavol-L01 1 1048576 O/O 2/2 datavol-L01 - ENABLED ACTIVE 1048576 SELECT - datavol-L01 - ENABLED ACTIVE 1048576 CONCAT - datadg01-02 datavol-L01 ENABLED ACTIVE 1048576 CONCAT - datadg01-02 datavol-L01 ENABLED ACTIVE 1048576 O hds9500- datadg03-02 datavol-D02 datadg03 0 1048576 O hds9500- datavol-S02 datavol-D03 datavol-L02 1 1048576 1/0 2/2 datavol-P03 datavol-L02 ENABLED ACTIVE 1048576 SELECT - datavol-P03 datavol-D03 datavol-L02 1 1048576 CONCAT - datavol-P03 datavol-D03 datadg02 </td <td>InstructionENABLEDACTIVE2097152SELECTdatavol-03fight 2010-2010Arbose Thy LtdtavolENABLEDACTIVE2097152STRIPE2/128RWdatavol-SUIdatavol-03datavol-L01110485760/02/2ENAdatavol-L01-ENABLEDACTIVE1048576SELECT-fsgendatavol-L01-ENABLEDACTIVE1048576CONCAT-RWdatadg01-02datavol-P01datadg0101048576CONCAT-RWdatadg03-02datavol-D01ENABLEDACTIVE10485760hds9500-alua0_6datavol-S02datavol-03datavol-L02110485761/02/2ENAdatavol-P03datavol-D03datavol-L02110485761/02/2ENAdatadg02 - 02datavol-D03datadg02010485760hds9500-alua0_Fdatavol-P03datavol-L02ENABLEDACTIVE10485760hds9500-alua0_Fdatavol-P03datavol-L02-ENABLEDACTIVE10485760hds9500-alua0_F</td>	InstructionENABLEDACTIVE2097152SELECTdatavol-03fight 2010-2010Arbose Thy LtdtavolENABLEDACTIVE2097152STRIPE2/128RWdatavol-SUIdatavol-03datavol-L01110485760/02/2ENAdatavol-L01-ENABLEDACTIVE1048576SELECT-fsgendatavol-L01-ENABLEDACTIVE1048576CONCAT-RWdatadg01-02datavol-P01datadg0101048576CONCAT-RWdatadg03-02datavol-D01ENABLEDACTIVE10485760hds9500-alua0_6datavol-S02datavol-03datavol-L02110485761/02/2ENAdatavol-P03datavol-D03datavol-L02110485761/02/2ENAdatadg02 - 02datavol-D03datadg02010485760hds9500-alua0_Fdatavol-P03datavol-L02ENABLEDACTIVE10485760hds9500-alua0_Fdatavol-P03datavol-L02-ENABLEDACTIVE10485760hds9500-alua0_F

What is the layout of the volume described in the vxprint output provided in the exhibit?

- A. mirrored volume with each mirror made up of concatenated subdisks (mirror-concat)
- B. mirrored volume with each mirror made up of striped subdisks (mirror-stripe)
- C. layered volume striped across mirrored subvolumes (stripe-mirror)
- D. layered volume formed by concatenation of mirrored subvolumes (concat-mirror)

ANSWER: B

QUESTION NO: 8

Which two commands are used for thin reclamation? (Choose two.)

- A. fsadm
- B. vxdctl
- C. vxdisk
- D. vxtune
- E. vxdmpadm

ANSWER: A C

QUESTION NO: 9

Which command is used to display current file system I/O parameters for a Veritas file system?

- A. vxtune
- B. vxtunefs
- C. vxstat
- D. fsadm

ANSWER: B

QUESTION NO: 10

A volume that contains strictly two data plexes and has four subdisks in each plex can have which two types of layouts? (Choose two.)

- A. concat-mirror
- B. stripe-mirror
- C. stripe with parity
- D. mirror-concat

E. mirror-stripe

ANSWER: D E