Automating Cisco Collaboration Solutions (CLAUTO)

Cisco 300-835

Version Demo

Total Demo Questions: 10

Total Premium Questions: 60

Buy Premium PDF

https://dumpsqueen.com

support@dumpsqueen.com

dumpsqueen.com



Topic Break Down

Topic	No. of Questions
Topic 1, Network Programmability Foundation	11
Topic 2, Unified Communication	11
Topic 3, Cloud Collaboration	12
Topic 4, Collaboration Endpoints	12
Topic 5, Meetings	14
Total	60


QUESTION NO: 1 - (DRAG DROP)

DRAG DROP

Drag and drop the code snippets to create a valid AXL API request. Not all options are used.

Select and Place:

Answer Area



GET https://cucm.cisco.com:8443/ax1/HTTP/1.1	AXL-Version: "CUCM:DB ver=11.5 addUcService"
Basic YWRtaW46cGFzc3dvcmQ=	Bearer YWRtaW46cGFzc3dvcmQ=
POST https://cucm.cisco.com:8443/ax1/HTTP/1.1	SOAPAction: "CUCM:DB ver=12.5 addUcService"
http://www.cisco.com/AXL/API/12.5	http://www.cisco.com/AXL/API/11.5

Δ	N	21	ΛI	F	R.

Answer Area

```
POST https://cucm.cisco.com:8443/ax1/HTTP/1.1
Content-Type: text.xml
SOAPAction: "CUCM:DB ver=12.5 addUcService"
Content-Length: 726
Host: cucm.cisco.com:8443
Authorization: Basic YWRtaW46cGFzc3dvcmQ=
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"</p>
xmlns:ns=" http://www.cisco.com/AXL/API/12.5
  <soapenv:Body>
   <ns:addUcService sequence="1">
     <ucService>
       <serviceType>Video Conference Scheduling Portal
       ductType>Telepresence Management System
       <name>testConferenceSchedulingPortal1</name>
       <hostnameorip>10.10.10.12</hostnameorip>
       <port>8443</port>
       cprotocol>https</protocol>
       <ucServiceXml>
         <TmsPortalUrl>http://10.10.10.12/</TmsPortalUrl>
       </ucServiceXml>
     </ucService>
   <ns:addUcService>
  </soapenv:Body>
</soapenv:Envelope>
```

GET https://cucm.cisco.com:8443/ax1/HTTP/1.1	AXL-Version: "CUCM:DB ver=11.5 addUcService"
Basic YWRtaW46cGFzc3dvcmQ=	Bearer YWRtaW46cGFzc3dvcmQ-
POST https://cucm.cisco.com:8443/ax1/HTTP/1.1	SOAPAction: "CUCM:DB ver=12.5 addUcService"
http://www.cisco.com/AXL/API/12.5	http://www.cisco.com/AXL/API/11.5

Explanation:

QUESTION NO: 2

#!/usr/bin/env python	
import os	
import requests	
token = os.environ.get('ACCESS TOKEN')	
arl = "https://api.ciscospark.com/v1/messages"	
roomId = "abcde12345"	
nontionNamo - W	
mentionName = "	
markdownTxt = mentionName + ", your registration is confirmed"	
<pre>payload = { "roomId: roomId, "markdown": markdownTxt }</pre>	
neaders = {	
"Authorization": "Bearer " + token,	
"Content-type": "application/json"	
response = requests.request("POST", url, data=payload, headers = hea	ders
response requestively arrivate payroad, medicine med	LULU/

Refer to the exhibit. Which code snippet is used to mention the bot CiscoDevNet@webex.bot?

- A. <@personEmail.CiscoDevNet@webex.bot>
- B. @CiscoDevNet@webex.bot
- C. @personEmail.CiscoDevNet@webex.bot
- **D.** (@personEmail.CiscoDevNet@webex.bot)

ANSWER: B

QUESTION NO: 3

An existing user (identified by userId) needs to be allowed to host Webex meetings. Which API call is used to assign the new license?

- A. PUT /license/{userId}
- **B.** POST /people/{userId}
- **C.** PUT /people/{userId}
- D. POST /license/{userId}

ANSWER: C

QUESTION NO: 4

What is the expiration time for a Cisco Webex Meeting API key to access the Webex API as an anonymous user?

- A. 3 months
- B. 12 hours
- C. one week
- **D.** 6 months

ANSWER: D

QUESTION NO: 5 - (DRAG DROP)

DRAG DROP

Drag and drop the code to create a valid Cisco Meeting Server REAST API Python script that creates a CMS coSpace and prints the URI to the console. Not all options are used.

Select and Place:



resp.body.Location

Answer Area

```
import requests
newSpace = {
     'name': 'Test space',
     'ownerJid': 'janedoe@example.com'
head =
     'Content-Type':
     'Authorization': '
resp = requests.post('
    headers-head,
     data=newSpace)
print(
'Content-Type': 'application/x-www-form-urlencoded'
'Content-Type': 'application/json'
'Authorization': 'Basic
'Authorization': 'Bearer
https://cms.example.com/api/v1/coSpaces
https://cms.example.com/api/v1/addCospace
resp.headers.Location
```

ANSWER:

Answer Area

```
'Content-Type': 'application/x-www-form-urlencoded'

'Content-Type': 'application/json'

'Authorization': 'Basic

'Authorization': 'Bearer

https://cms.example.com/api/v1/coSpaces

https://cms.example.com/api/v1/addCospace

resp.headers.Location

resp.body.Location
```

Explanation:

QUESTION NO: 6


What are two keys features of Cisco Unified Communications Manager Serviceability APIs? (Choose two.)

- A. save alarms and events for troubleshooting
- B. connect to serial console on phone hardware
- C. configure firewall rules on phone hardware

- D. scan servers and devices for malware
- **E.** real-time monitoring of components

ANSWER: A E

QUESTION NO: 7



Refer to the exhibit. Based on the schema diagram in the exhibit, which two XML objects are valid AXL request elements? (Choose two.)

QUESTION NO: 8

```
A. <soapenv:Body>
      <ns:getPhone sequence="1">
          <name>BOT209342098</name>
          <returnedtags><model/></returnedtags>
      </ns:getPhone>
   </soapenv:Body>
   <soapenv:Body>
      <ns:getPhone>
          <name>BOT209342098</name>
          <returnedTags><model/></returnedTags</pre>
       </ns:getPhone>
   </soapenv:Body>
 C. <soapenv:Body>
      <ns:getPhone>
          <name>BOT209342098</name>
          <uuid>{2B1931A2-8FC2-A0C2-7282-B88B5A6356A0}</uuid
      </ns:getPhone>
   </soapenv:Body>
D. <soapenv:Body>
      <ns:getPhone sequence="1">
          <uuid>{2B1931A2-8FC2-A0C2-7282-B88B5A6356A0}</uuid
      </ns:getPhone>
   </soapenv:Body>
   <soapenv:Body>
      <ns:getPhone sequence="1">
          <name>BOT209342098</name>
          <returnedTags>All</returnedTags>
      </ns:getPhone>
   </soapenv:Body>
A. Option A
B. Option B
C. Option C
D. Option D
E. Option E
ANSWER: E
```

DumpsQueen - Pass Your Next Certification Exam Fast! dumpsqueen.com

Which two capabilities can be implemented in a custom application using the Cisco Unified IP Phone Services API? (Choose two.)

- **A.** Authenticate the phone to the network.
- **B.** Display corporate directory information.
- C. Play multicast messages.
- D. Upgrade phone firmware.
- E. Create new phone devices.

ANSWER: C E

QUESTION NO: 9

Using the Finesse REST APIs coupled with the Finesse notifications, which two use cases can be accomplished? (Choose two.)

- A. Add video calling capabilities to an existing application such as a CRM.
- **B.** Add outbound call capabilities to an existing application such as a CRM.
- **C.** Develop a secure monitoring application that captures the agent's states and dialog information of every agent in the contact center system.
- D. Develop a fully functioning custom agent desktop that has call control, workflows, and client logging.
- **E.** Develop a fully functioning custom agent desktop for chat, email, and SMS interactions including the content of the chat, email, and SMS.

ANSWER: BE

QUESTION NO: 10

Which two functions are provided by the Java-based computer telephony applications API? (Choose two.)

- A. Provide call blocking and screening for applications.
- **B.** Provide analytics about Cisco Unified Communications Manager endpoints and users.
- **C.** Control and observe Cisco Unified Communications Manager phones.
- **D.** Route calls by using computer telephony integration ports and route points (virtual devices).
- E. Allow provisioning of Cisco Unified Communications Manager endpoints and users.

