

DUMPSQUEEN

Automating and Programming Cisco Security Solutions (300-735 SAUTO)

Cisco 300-735

Version Demo

Total Demo Questions: 10

Total Premium Questions: 58

Buy Premium PDF

<https://dumpsqueen.com>

support@dumpsqueen.com

dumpsqueen.com

QUESTION NO: 1

Which curl command lists all tags (host groups) that are associated with a tenant using the Cisco Stealthwatch Enterprise API?

- A. curl -X PUT "Cookie:{Cookie Data}"https://{stealthwatch_host}/smc-configuration/rest/v1/tenants/{tenant_id}/tags
- B. curl -X POST -H"Cookie:{Cookie Data}"https://{stealthwatch_host}/smc-configuration/rest/v1/tenants/tags
- C. curl -X GET -H"Cookie:{Cookie Data}"https://{stealthwatch_host}/smc-configuration/rest/v1/tenants/{tenant_id}/tags
- D. curl -X GET -H"Cookie:{Cookie Data}"https://{stealthwatch_host}/smc-configuration/rest/v1/tenants/tags

ANSWER: C

QUESTION NO: 2

Which two event types can the eStreamer server transmit to the requesting client from a managed device and a management center? (Choose two.)

- A. user activity events
- B. intrusion events
- C. file events
- D. intrusion event extra data
- E. malware events

ANSWER: B D

QUESTION NO: 3

```
quiz = [
  {
    "question": "Which of these is an IEEE standard for port-based Network Access Control",
    "choices": {"a": "802.11x", "b": "802.1x", "c": "802.11a", "d": "802.11b"},
    "answer": "b"
  },
]
```

Refer to the exhibit.

Which expression prints the text "802.1x"?

- A. `print(quiz[0]['choices']['b'])`
- B. `print(quiz['choices']['b'])`
- C. `print(quiz[0]['choices']['b']['802.1x'])`
- D. `print(quiz[0]['question']['choices']['b'])`

ANSWER: A

QUESTION NO: 4

Which two commands create a new local source code branch? (Choose two.)

- A. `git checkout -b new_branch`
- B. `git branch -b new_branch`
- C. `git checkout -f new_branch`
- D. `git branch new_branch`
- E. `git branch -m new_branch`

ANSWER: A D

Explanation:

```
Content-Type: application/json
Accept: application/json
Authorization: Bearer <api_key>
```

```
Content-Type: application/json
Accept: application/json
Authorization: ApiKey <username>:<api_key>
```

```
Content-Type: application/json
Accept: application/json
Authorization: Basic <api_key>
```

```
Content-Type: application/json
Accept: application/json
Authorization: <username>:<api_key>
```

QUESTION NO: 5

Which two URI parameters are needed for the Cisco Stealthwatch Top Alarm Host v1 API? (Choose two.)

- A. startAbsolute
- B. externalGeos
- C. tenantId
- D. intervalLength
- E. tagID

ANSWER: C E

QUESTION NO: 6

What are two capabilities of Cisco Firepower Management Center eStreamer? (Choose two.)

- A. eStreamer is used to get sources for intelligence services.
- B. eStreamer is used to send malware event data.
- C. eStreamer is used to get a list of access control policies.
- D. eStreamer is used to send policy data.
- E. eStreamer is used to send intrusion event data.

ANSWER: B E

QUESTION NO: 7

After changes are made to the Cisco Firepower Threat Defense configuration using the Cisco Firepower Device Manager API, what must be done to ensure that the new policy is activated?

- A. Submit a POST to the /api/fdm/latest/operational/deploy URI.
- B. Submit a GET to the /api/fdm/latest/operational/deploy URI.
- C. Submit a PUT to the /api/fdm/latest/devicesettings/pushpolicy URI.
- D. Submit a POST to the /api/fdm/latest/devicesettings/pushpolicy URI.

ANSWER: A

QUESTION NO: 8 - (DRAG DROP)

DRAG DROP

Drag and drop the code to complete the URL for the Cisco AMP for Endpoints API POST request so that it will add a sha256 to a given file_list using file_list_guid.

Select and Place:

https://api.amp.cisco.com/v1

/ [] / [] / [] / []

files	file_lists
{:sha256}	{:file_list_guid}

ANSWER:

https://api.amp.cisco.com/v1

/ file_lists / {:file_list_guid} / files / {:sha256}

files	file_lists
{:sha256}	{:file_list_guid}

Explanation:

Reference:

https://api-docs.amp.cisco.com/api_actions/details?api_action=POST+%2Fv1%2Ffile_lists%2F%7B%3Afile_list_guid%7D%2Ffiles%2F%7B%3Asha256%7D&api_host=api.eu.amp.cisco.com&api_resource=File+List+Item&api_version=v1

QUESTION NO: 9 - (DRAG DROP)

DRAG DROP

Drag and drop the code to complete the Cisco Umbrella Investigate WHOIS query that returns a list of domains that are associated with the email address "admin@example.com". Not all options are used.

Select and Place:

```
"https://investigate.api.umbrella.com/ [ ] /  
[ ] / [ ] "
```

email	emails	WHOIS
admin@example.com	whois	{admin@example.com}

ANSWER:

```
"https://investigate.api.umbrella.com/ WHOIS /  
emails / admin@example.com "
```

email	emails	WHOIS
admin@example.com	whois	{admin@example.com}

Explanation:

<https://docs.umbrella.com/investigate-api/docs/whois-information-for-a-domain-1>

QUESTION NO: 10

```
Request URL:  
https://198.18.133.8/api/fdm/v1/policy/intrusionpolicies
```

Refer to the exhibit.

What is the purpose of the API represented by this URL?

- A. Getting or setting intrusion policies in FMC
- B. Creating an intrusion policy in FDM
- C. Updating access policies
- D. Getting the list of intrusion policies configured in FDM

ANSWER: D