

DUMPSQUEEN

IBM App Connect Enterprise V11 Solution Development

IBM C1000-056

Version Demo

Total Demo Questions: 10

Total Premium Questions: 62

Buy Premium PDF

<https://dumpsqueen.com>

support@dumpsqueen.com

dumpsqueen.com

QUESTION NO: 1

In a message flow, what are two valid event sources of a monitoring event?

- A. Node events
- B. Terminal events
- C. Mapping events
- D. Failover events
- E. Transaction events

ANSWER: B E


Explanation:

: Event types You can configure a message flow to emit two types of events: transaction events and terminal events. There are three types of transaction events: start, end, and rollback. The transaction events are emitted only from input nodes such as MQInput and HTTPInput. Terminal events are emitted from any terminal of any node.

https://www.ibm.com/developerworks/websphere/library/techarticles/0911_fan/0911_fan.html

QUESTION NO: 2

The image below is an example of which IBM App Connect Toolkit editor?



- A. Graphical Data Mapping
- B. Message Flow Editor
- C. Policy Editor
- D. Message Definition

ANSWER: A

QUESTION NO: 3

What are two mechanisms for storing user permissions to enable administration security on the Web Console?

- A. OAuth
- B. LDAP
- C. File
- D. Queue
- E. YAML

ANSWER: B E

QUESTION NO: 4

What are two purposes of a user trace?

- A. Debug message flows and integration servers
- B. Provide more information than the administration log
- C. Provide flow usage metrics
- D. Detect Web-Admin login failures
- E. Monitor user activity

ANSWER: A B

QUESTION NO: 5

What is the file format of resource statistics that are written by resource managers?

- A. XML
- B. JSON
- C. HTML
- D. CSV

ANSWER: D

QUESTION NO: 6 - (DRAG DROP)

DRAG DROP

What is the correct order of prerequisite steps to install IBM App Connect Enterprise on IBM Cloud Private?

The screenshot shows two columns: "Unordered Options" and "Ordered Options".

- Unordered Options:**
 - Manually sync the repositories
 - Log in to the Docker private image registry
 - Log into the cluster from the IBM Cloud Private CLI
 - Load the image from the Archive file
- Ordered Options:** (Empty)

Navigation arrows (right and left) are located between the columns.

ANSWER:

The screenshot shows the same interface as above, but with the "Ordered Options" column populated:

- Unordered Options:**
 - Manually sync the repositories
 - Log in to the Docker private image registry
 - Log into the cluster from the IBM Cloud Private CLI
 - Load the image from the Archive file
- Ordered Options:**
 - Log in to the Docker private image registry
 - Manually sync the repositories
 - Log into the cluster from the IBM Cloud Private CLI
 - Load the image from the Archive file

Navigation arrows (right and left) are located between the columns.

Explanation:

The screenshot shows the same interface as above, but with red dashed boxes highlighting the correct order in the "Ordered Options" column:

- Unordered Options:**
 - Manually sync the repositories
 - Log in to the Docker private image registry
 - Log into the cluster from the IBM Cloud Private CLI
 - Load the image from the Archive file
- Ordered Options:**
 - Log in to the Docker private image registry
 - Manually sync the repositories
 - Log into the cluster from the IBM Cloud Private CLI
 - Load the image from the Archive file

Navigation arrows (right and left) are located between the columns.

QUESTION NO: 7

Which statement is true regarding the RESTAsyncResponse node?


- A. It can be in a different integration node as the RESTAsyncRequest node
- B. It has to be in the same integration server as the RESTAsyncRequest node
- C. It can be in a separate integration server than the RESTAsyncRequest node
- D. It has to be in the same flow as the RESTAsyncRequest node

ANSWER: D


QUESTION NO: 8 - (HOTSPOT)

HOTSPOT


Which section in the Cloud Integration Platform Navigator should be clicked in order to install IBM MQ?



ANSWER:



Explanation:



QUESTION NO: 9

Which two features of IBM App Connect Enterprise require IBM MQ to be installed?

- A. Timer nodes
- B. Managed application support

- C. Collector nodes
- D. JMS messaging
- E. Assimilation

ANSWER: A C

QUESTION NO: 10

Which file needs to exist in the directory where the command docker build run?

- A. Dockerfile
- B. docker.yaml
- C. Configfile
- D. config.yaml

ANSWER: A