

DUMPSQUEEN

CyberArk CDE Recertification

CyberArk CAU305

Version Demo

Total Demo Questions: 9

Total Premium Questions: 65

Buy Premium PDF

<https://dumpsqueen.com>

support@dumpsqueen.com

dumpsqueen.com

QUESTION NO: 1

Which of the following features are provided by Ad-Hoc Access (formerly Secure Connect)? (Choose three.)

- A. PSM connections to target devices that are not managed by CyberArk
- B. session recording
- C. real-time live session monitoring
- D. PSM connections from a terminal without the need to login to the Password Vault Web Access (PVWA)

ANSWER: A B C

QUESTION NO: 2

For a Safe with object level access control enabled the Vault administrator is able to turn off object level access control when it no longer needed on the Safe.

- A. True
- B. False

ANSWER: B

QUESTION NO: 3

Which is the purpose of the allowed Safes parameter in a Central Policy Manager (CPM) policy? (Choose two.)

- A. To improve performance by reducing CPM workload
- B. To prevent accidental use of a policy in the wrong Safe
- C. To allow users to access only the passwords they should be able to access
- D. To enforce Least Privilege in CyberArk

ANSWER: A C

QUESTION NO: 4

The Vault needs to send Simple Network Management Protocol (SNMP) traps to the SNMP solution. Which file is used to configure the IP address of the SNMP server?

- A. snmp.ini
- B. dbparm.ini
- C. ENEConf.ini
- D. PARagent.ini

ANSWER: D

QUESTION NO: 5

What are the functions of the Remote Control Agent service? (Choose three.)

- A. Allows remote monitoring the Vault
- B. Sends SNMP traps from the Vault
- C. Maintains audit data
- D. Allows CyberArk services to be managed (start/stop/status) remotely

ANSWER: A B D

QUESTION NO: 6

Which utilities could a Vault administrator use to change debugging levels on the Vault without having to restart the Vault? (Choose two.)

- A. PAR Agent
- B. PrivateArk Server Central Administration
- C. Edit DBParm.ini in a text editor
- D. Setup.exe

ANSWER: A B

QUESTION NO: 7

Multiple Password Vault Web Access (PVWA) servers can be load balanced.

- A. True
- B. False

ANSWER: A

QUESTION NO: 8

Which file is used to integrate the Vault with the RADIUS server?

- A. radius.ini
- B. PARagent.ini
- C. ENEConf.ini
- D. dbparm.ini

ANSWER: D

QUESTION NO: 9

When the PSM Gateway (also known as the HTML5 Gateway) is implemented, users must have an RDP client, such as MSTSC, installed on their endpoint in order to launch connections via the PSM.

- A. True
- B. False. When the PSM Gateway is implemented, the user only requires a browser in order launch a connection via the PSM.

ANSWER: B