

# DUMPSQUEEN

**Google Cloud - Apigee Certified API Engineer**

**Google Apigee-API-Engineer**

**Version Demo**

**Total Demo Questions: 10**

**Total Premium Questions: 126**

**Buy Premium PDF**

**<https://dumpsqueen.com>**

**[support@dumpsqueen.com](mailto:support@dumpsqueen.com)**

**dumpsqueen.com**

## QUESTION NO: 1

Which JavaScript statement can be used to raise a fault from a JavaScript policy named "Weather"?

- A. return-1,
- B. return false,
- C. context.setVariable("Weather Fault", "true"),
- D. throw "Bad Data";

**ANSWER: C**

## QUESTION NO: 2

You have created an OpenAPI specification and begun a sample implementation of the API Proxy in Apigee Edge. Another team is asking for early access for interactive documentation. What should you do?

- A. Publish using SwaggerUI
- B. Generate web documents using SmartDocs
- C. Send the requesting team the OpenAPI spec.
- D. Create a sample web app that uses your API, and publish the source code.

**ANSWER: D**

## QUESTION NO: 3

You are part of an API team working on a versioning strategy for a new API. Several members of the team disagree on how to indicate the version. According to Apigee recommended practices, what would you recommend to the team?

- A. Use the payload.
- B. Use a header Version v1.
- C. Use the URI /products/productid/v1

D. Use the URI /v1/products/product id

**ANSWER: D**

## QUESTION NO: 4

Your team has the following requirements in building an API:

- Adhere to Pragmatic REST.
- Model the API to the consumption use case.
- Require API Key authentication
- Implement CORS
- Validate inputs.

You have begun migrating a SOAP-based web service to a REST API by using the SOAP to REST function in Apigee Edge. Which two of the above-listed requirements could be satisfied by this action?

Choose 2 answers

- A.** Adhere to Pragmatic REST
- B.** Model the API to the consumption use case
- C.** Require API Key authentication
- D.** Implement CORS.
- E.** Validate inputs.

**ANSWER: B C**

## QUESTION NO: 5

When is it appropriate to use query parameters in RESTful API design? Select all that are correct

- A.** When passing username and passwords.
- B.** When providing the ability to return different levels of detail in the response.
- C.** When requesting that an entire collection be deleted.
- D.** When filtering the response based upon a query

**ANSWER: B D**

## QUESTION NO: 6

Which is true about PostClientFlow?

- A. PostClientFlow will only be executed if a payload is returned.
- B. The response is blocked until the PostClientFlow policies are executed.
- C. PostClientFlow can only include MessageLogging policies.
- D. PostClientFlow can include any supported policy.

**ANSWER: C**

## QUESTION NO: 7

Which of the following properties have type as "required" in the OpenAPI Specification 2.0?

Choose 3 answers

- A. Info
- B. host
- C. paths
- D. license
- E. swagger
- F. basePath
- G. produces
- H. consumes

**ANSWER: C F H**

## QUESTION NO: 8

When populating the Quota configuration for an API product, which statement is true?

The Quota specified will automatically be enforced for any Developer App Keys assigned to the API product.

- B. After validating an API key or access token, flow variables are automatically populated with the Quota configuration for later use in a Quota policy
- C. Rate limiting will be enforced precise to the seconds level, even if you configure a perminute or higher interval
- D. The Quota configuration specified on the API product enforces a global rate limit across all API proxies

**Answer: C**

**Explanation:**

- A. After validating an API key or access token, flow variables are automatically populated with the Quota configuration for later use in a Quota policy
- B. Rate limiting will be enforced precise to the seconds level, even if you configure a perminute or higher interval
- C. The Quota configuration specified on the API product enforces a global rate limit across all API proxies

**ANSWER: B**

**QUESTION NO: 9**

Which are NOT a step in the OAuth 2.0 authorization code grant process? Select all that are correct

- A. generate an authorization code
- B. generate an access token C. verify the device ID
- C. validate the client API key
- D. obtain the end user's consent for the application to request the user's protected resources
- E. validate the developer name

**ANSWER: A D E**

**QUESTION NO: 10**

OAuth 2.0 Resource Owner Password Credentials grant should be used when (Select all that are correct)

- A. The client applications using this flow are built by 3rd party developers
- B. API resources being protected have context of the resource owner
- C. The client applications using this flow are trusted.
- D. Redirection authentication and authorization flows are required.

**ANSWER: A B C**