MikroTik Certified Network Associate Exam

MikroTik MTCNA

Version Demo

Total Demo Questions: 15

Total Premium Questions: 216

Buy Premium PDF

https://dumpsqueen.com

support@dumpsqueen.com

dumpsqueen.com

QUESTION NO: 1
Which of the following allows a router to respond to an ARP request that is intended for a remote host?
A. Gateway DP
B. Reverse ARP (RARP)
C. Proxy ARP
D. Inverse ARP (IARP)
ANSWER: C
QUESTION NO: 2
What configuration is added by /ip Hot-Spot setup command? (select all that apply)
A. /ip service
B. /ip Hot-Spot user
C. /ip Hot-Spot walled-garden
D. /ip dhcp-server
E. /queue tree
ANSWER: B D
QUESTION NO: 3
Action=redirect is applied in
A. chain=srcnat
B. chain=forward
C. chain=dstnat
ANSWER: C

QUESTION NO: 4
Action=redirect applies to
A. Firewall Filter rules
B . DST-NAT rules
C. Route rules
D. SRC-NAT rules
ANSWER: B
QUESTION NO: 5
One host on an internal network is accessing an external web page through a MikroTik router that is doing source NAT. Select correct statement about the packets that flow from that web page to the host?
A. Packets go through the input chain
B. Packets go through the forward chain
C. Packets go through the output chain
D. Packets go through the input chain before the routing decision and after that through output chain
ANSWER: B
QUESTION NO: 6
Which firewall chain would be used to block a client's MSN traffic on a router?
A. static
B . forward
C. output
D . input
ANSWER: B

QUESTION NO: 7

Which of the following protocols / port s are used for SNMP. (Simple Network Managemnt

Protocol)

- **A.** TCP 25
- **B.** TCP 161
- **C. UDP 162**
- **D.** TCP 162
- **E.** TCP 123
- **F.** UDP 161

ANSWER: CF

QUESTION NO: 8

Which of the following is the valid host range for the subnet on which the IP address

192.168.168.188 255.255.255.192 resides?

- **A.** 192.168.168.129-190
- **B.** 192.168.168.129-191
- **C.** 192.168.168.128-190
- **D.** 192.168.168.128-192

ANSWER: A

QUESTION NO: 9

Mark the queue types that are available in RouterOS

- A. SFQ Stochastic Fairness Queuing
- B. DRR Deficit Round Robin
- C. FIFO First In First Out (for Bytes or for Packets)
- D. LIFO Last In First Out

- E. PCQ Per Connection Queuing
- **F.** RED Random Early Detect (or Drop)

ANSWER: A C E F

QUESTION NO: 10

In which situations can Netinstall NOT be used to install a RouterBOARD?

- A. The router does not have an operating system
- **B.** The router is connected only to a wireless network
- C. You do not know the password of the router
- **D.** The router is connected only to a secondary Ethernet port

ANSWER: B D

QUESTION NO: 11

Which one of the following is true regarding VLANs?

- A. Two VLANs are configured by default on all Cisco switches.
- B. VLANs only work if you have a complete Cisco switched internetwork. No off-brand switches are allowed.
- C. You should not have more than 10 switches in the same VTP domain.
- **D.** VTP is used to send VLAN information to switches in a configured VTP domain.

ANSWER: D

QUESTION NO: 12

Destination NAT (chain dstnat, action dst-nat) can be used to:

- A. Change destination port
- B. Direct users from the Internet to a server within your local network
- C. Change source port

D. Hide your local network from the Internet
ANSWER: A
QUESTION NO: 13
In MikroTik RouterOS, Layer3 communication between 2 hosts can be achieved by using an address subnet of:
A. /31
B. /29
C. /32
D. /30
ANSWER: B C D
QUESTION NO: 14
Which features are removed when advanced-tools package is uninstalled?
A. neighbors
B. LCD support
C. ip-scan
D. ping
E. netwatch
F. bandwidth-test
ANSWER: C D E
ANSYVER. U D E
QUESTION NO: 15
What does the firewall action "Redirect" do? Select all true statements.

A. Redirects a packet to a specified port on the router

B. Redirects a packet to a specified IP

- C. Redirects a packet to the router
- **D.** Redirects a packet to a specified port on a host in the network

ANSWER: B D