

DUMPSQUEEN

IBM Cognos Analytics Developer V11.1.x

IBM C1000-065

Version Demo

Total Demo Questions: 10

Total Premium Questions: 60

Buy Premium PDF

<https://dumpsqueen.com>

support@dumpsqueen.com

dumpsqueen.com

QUESTION NO: 1

To display HTML report output directly in the body of an emailed report, which of the following is required in the delivery options pane?

- A. Select "Attach the report" and leave the email body blank.
- B. Select "Save report".
- C. In the email body, choose "Display a report" and follow the dialog box instructions
- D. Select "Include a link to the report"

ANSWER: C

QUESTION NO: 2

When developing a report, which two should be defined for a JOIN query?

- A. a reference to two queries
- B. only cached results
- C. an expression editor
- D. an intersection of two queries
- E. a relationship defining cardinality

ANSWER: A D

QUESTION NO: 3

A developer can make a Cognos PowerCube available to end users by creating a package and publishing it. From which three components is this possible?

- A. Administration console
- B. PowerPlay Client
- C. PowerPlay Studio
- D. Framework Manager

- E. Transformer
- F. Microsoft Studio

ANSWER: A D E

Explanation:

: https://www.ibm.com/support/knowledgecenter/SSEP7J_11.1.0/com.ibm.swg.ba.cognos.ug_cra.doc/c_powercubes_ds.html

QUESTION NO: 4

To create a Layout Component Reference in a report, which object property needs to be provided?

- A. Conditional Reference
- B. Label
- C. Name
- D. Render Variable

ANSWER: C

QUESTION NO: 5

Which two items can the opposite edge Crosstab in a report?

- A. The value of a member
- B. A selected measure
- C. Member caption
- D. Node member
- E. Crosstab intersection

ANSWER: C E

QUESTION NO: 6

When should a dimensional function be used in a report's Query calculation?

- A. when the data source is a dimensional or dimensionally-modeled data source
- B. to allow relative date functions to be performed against a non-dimensional data source
- C. to convert a non-dimensional data source into a dimensionally-modeled data source
- D. to allow drill up and down on a non-dimensional data source

ANSWER: B

QUESTION NO: 7

Which two statements are true when creating navigation paths?

- A. A data module can have multiple navigation paths.
- B. A modeler must delete the navigation path and re-create it to change the path.
- C. Columns from different tables cannot be added to a navigation path.
- D. A navigation path is a collection of Group Data columns.
- E. A navigation path is a collection of non-measure columns.

ANSWER: B E

QUESTION NO: 8

How can a data module developer ensure that when a user drags an attribute onto a dashboard that the Map visualization is the default?

- A. Change the Represents property for the attribute to Geographic location.
- B. Set the visualization property to Map.
- C. Use the create map wizard.
- D. Select an empty Map visualization then drag this onto the data.

ANSWER: A

QUESTION NO: 9

When a developer needs to share dashboard content with another application, the Share option provides which benefit?

- A. the ability to export the dashboard to Excel
- B. the ability to generate the HTML to create an iFrame and reference the dashboard
- C. the ability to export the dashboard directly to SharePoint.
- D. the ability to send a notification to a phone

ANSWER: D

QUESTION NO: 10

In which two ways can a specific visualization in a dashboard be filtered?

- A. A developer can only keep or exclude data points within an axis.
- B. A developer can create a Calculation within the dashboard that will filter a specific visualization.
- C. A developer can also add a local filter to filter a column or to define a filter condition.
- D. A developer can build an embedded filter in a data module.
- E. A developer can keep or exclude a few data points in the visualization.

ANSWER: A B