

# DUMPSQUEEN

## Emergency Medical Technician

Test Prep EMT

Version Demo

Total Demo Questions: 15

Total Premium Questions: 316

Buy Premium PDF

<https://dumpsqueen.com>

[support@dumpsqueen.com](mailto:support@dumpsqueen.com)

[dumpsqueen.com](https://dumpsqueen.com)

### Topic Break Down

Topic	No. of Questions
Topic 1, AIRWAY, RESPIRATION, AND VENTILATION	20
Topic 2, CARDIOLOGY AND RESUSCITATION	19
Topic 3, EMS OPERATIONS	19
Topic 4, MEDICAL AND OBSTETRICS/GYNECOLOGY	20
Topic 5, TRAUMA	238
<b>Total</b>	<b>316</b>

## QUESTION NO: 1

Name the three types of muscles in the human body?

- A. Abdominal, skeletal, and circulatory
- B. Smooth, digestive and voluntary
- C. Involuntary, voluntary and cardiac
- D. Striated, smooth and cardiogenic

ANSWER: C

## QUESTION NO: 2

Cardiac output is the product of \_\_\_\_\_.

- A. HR and EF
- B. HR and Diastolic pressure
- C. Diastolic and Systolic pressure
- D. HR and Stroke Volume

ANSWER: D

## QUESTION NO: 3

The first step in treating a patient who may be experiencing a cardiac arrest is to take his or her baseline vital signs.

- A. True
- B. False

ANSWER: B

## QUESTION NO: 4

When arriving at the scene of a possible hazardous materials incident, you would identify hazards by:

- A. Thoroughly investigating the scene yourself.
- B. Interviewing victims and bystanders.
- C. Scanning with binoculars from a safe distance.
- D. Assisting law enforcement officers in the search.

**ANSWER: C**

## QUESTION NO: 5

En route to the hospital, you intubate the patient. During your assessment of tube placement, you hear wheezing in the upper lung fields.

What is most likely causing this wheezing?

- A. Inhalation injury to the upper airway
- B. Inhalation induced cardiac wheezing
- C. Inhalation induced asthma attack
- D. Inhalation injury to the lower airway

**ANSWER: A**

## QUESTION NO: 6

In which of these situations you must wear a gown over your uniform?

- A. A full term pregnant woman is experiencing crowing with contractions.
- B. A 55-year-old male is suspected of having a myocardial infarction.
- C. A 72-year-old female is having dizziness and difficulty in breathing.
- D. A victim of a fall has no obvious wounds but still unresponsive.

**ANSWER: A**

## QUESTION NO: 7

While lifting a patient it is important to:

- A. Keep your back straight and use your legs.

- B. Bend at the waist and let your back do the work.
- C. Keep the center of gravity as far from your body as possible.
- D. Use a slight twisting motion of the torso to increase leverage.

**ANSWER: A**

## QUESTION NO: 8

In which of the following conditions will you suspect that a baby is dehydrated?

- A. The fontanelle appears sunken and there is a recent history of diarrhea.
- B. Mother reports that a baby has been wanting more milk than usual.
- C. The baby's vital signs are – T:99.1 – P:120 – RR: 32 – O2 Sat: 97.
- D. The baby feels warm to touch and has edematous limbs.

**ANSWER: A**

## QUESTION NO: 9

You're called to the home of a 65-year-old man. When you arrive, your primary survey should include a rapid assessment to determine if the patient's condition is life-threatening. You should look for visual clues, including \_\_\_\_.

- A. severe bleeding
- B. unconsciousness
- C. trouble breathing
- D. all of these

**ANSWER: D**

## QUESTION NO: 10

What are the two techniques for lifting?

- A. The power lift and the power grip.
- B. Keeping your feet close together and holding the weight as far away from your body as possible.
- C. The Atkins lift and the fire-fighters push.

D. The jack technique and the heavy grab.

**ANSWER: A**

## QUESTION NO: 11

Who is responsible for the daily inspection of an ambulance?

- A. the chief or supervisor
- B. the staff assigned to the vehicle for that shift
- C. the government licensing authority
- D. the staff who last used the vehicle

**ANSWER: B**

## QUESTION NO: 12

What is the first thing you should do before inserting a nasopharyngeal airway?

- A. Select the correct size.
- B. Make sure the patient does not have a gag reflex.
- C. Tilt the head back, lube the airway, and insert it into the nostril.
- D. Look up the nose to make sure the nostrils are large enough for a nasopharyngeal airway.

**ANSWER: A**

## QUESTION NO: 13

If your patient has taken an overdose of opiates, his/her pupils will get constricted.

- A. True
- B. False

**ANSWER: A**

## QUESTION NO: 14

Which of the following is an early, and the most prominent, finding in a crush injury?

- A. Pain
- B. Pulselessness
- C. Paresthesia
- D. Paralysis

**ANSWER: A**

## QUESTION NO: 15

Sublingual medicine is delivered \_\_\_\_\_.

- A. through inhalation
- B. through an intravenous line
- C. under the tongue
- D. by swallowing

**ANSWER: C**