

DUMPSQUEEN

IBM Netezza Performance Server V11.x Administrator

IBM C1000-085

Version Demo

Total Demo Questions: 10

Total Premium Questions: 60

Buy Premium PDF

<https://dumpsqueen.com>

support@dumpsqueen.com

dumpsqueen.com

QUESTION NO: 1

What is the purpose of the nzload control file?

- A. To define load operations in a text file instead of having to specify options on the command line
- B. To ensure that a simple load that uses external tables continues after the system is paused and resumed.
- C. To take advantage of a named pipe capability to stream the data to external tables faster.
- D. To control the re-load operations of the data file after every load failure

ANSWER: A

QUESTION NO: 2

Which level of transaction isolation does IBM Netezza Performance Server implement?

- A. uncommitted read
- B. serializable
- C. repeatable read
- D. committed read

ANSWER: B

QUESTION NO: 3

What command is used to verify the release of IBM Netezza Performance Server Analytics installed?

- A. nzcm --inza
- B. nzrev --inza

- C. nzinza
- D. inzarev

ANSWER: A

QUESTION NO: 4

What are two primary purposes of UDX?

- A. it is a required component of all Netezza SQL commands
- B. to force execution only on the SPU nodes
- C. to offer new and unique types of analyses through customized code
- D. to showcase one's capability to write UDX code to duplicate existing SQL functions
- E. to accelerate analysis by processing data in-database

ANSWER: D E

QUESTION NO: 5

Which two scenarios can be addressed using the `nz_check_disk_scan_speeds` command?

- A. check system status
- B. get skew information distributed across disks
- C. see disk read and write speeds
- D. slow performing SPU or drive
- E. get disk storage utilization details

ANSWER: B E

QUESTION NO: 6

Which two external methods can IBM Netezza Performance Server use to authenticate database users?

- A. LDAP
- B. SSH
- C. Radius
- D. PKI-Based
- E. Kerberos

ANSWER: A D

QUESTION NO: 7

Which system view stores the information on how many resources have been allocated for the resource group versus how many were allowed?

- A. `_v_sched_gra`
- B. `_v_system_util`
- C. `_v_qryhist`
- D. `_v_plan_resource`

ANSWER: D

QUESTION NO: 8

Which two command line support tools are used to determine the order of data for a given table?

- A. nz_physical_table_layout
- B. nz_zonemap
- C. nz_pagemap
- D. nz_sort_order
- E. nz_get

ANSWER: B C

QUESTION NO: 9

To how many resource groups can a user be assigned?

- A. four
- B. unlimited
- C. three
- D. one

ANSWER: C

QUESTION NO: 10

What are two important factors to consider when selecting a distribution key?

- A. not Nullable constraint
- B. columns used for filters
- C. distinct values

D. columns used for joins

E. table constraints

ANSWER: A B