

# DUMPSQUEEN

## Foreign Pharmacy Graduate Equivalency Examination

NABP FPGEE

Version Demo

Total Demo Questions: 20

Total Premium Questions: 426

Buy Premium PDF

<https://dumpsqueen.com>

[support@dumpsqueen.com](mailto:support@dumpsqueen.com)

[dumpsqueen.com](https://dumpsqueen.com)

## Topic Break Down

Topic	No. of Questions
Topic 1, Volume A	99
Topic 2, Volume B	100
Topic 3, Volume C	100
Topic 4, Volume D	127
<b>Total</b>	<b>426</b>

## QUESTION NO: 1

Which of the following statements is/are right regarding CALCITONIN?

I- Its secretion is normally stimulated during feeding, particularly of high calcium meals

II- Prevents hypercalcemia by inhibiting the transport of Ca into extra cellular fluid and by increasing the renal clearance of calcium

III- It is a vitamin D derivative

A. I only

B. III only

C. I and II only

D. II and III only

E. All are correct

**ANSWER: C**

## QUESTION NO: 2

Pernicious anemia is:

A. due to dietary deficiency of vitamin B12.

B. prevented by oral administration of a vitamin B12 supplement.

C. treated by parenteral administration of folic acid.

D. treated by parenteral administration of vitamin B12.

E. caused by dietary iron deficiency.

**ANSWER: D**

## QUESTION NO: 3

Mechanism of resistance of InVirse is:

A. Mutation of viral DNA polymerase

- B. Mutations of viral protease
- C. Mutation of thymidilate synthase decreasing its affinity for the drug's active metabolite
- D. Tolerance
- D. Mutation of viral reverse transcriptase

**ANSWER: B**

## QUESTION NO: 4

GLYCOGENESIS is a process characterized by:

- A. The breakdown of glycogen into glucose
- B. The transformation of glucose to glycogen
- C. The breakdown of sugar into pyruvate
- D. The breakdown of sugar into lactate
- E. The formation of glucose from non-carbohydrates sources

**ANSWER: D**

## QUESTION NO: 5

Class of metformin is:

- A. Lipid lowering drugs
- B. Antimycobacterial
- C. Thyroid agents
- D. Vasodilators
- E. Oral hypoglycemics

**ANSWER: E**

## QUESTION NO: 6

Mechanism of action of indinavir is:

- A. beta-2 agonist
- B. Inhibits RNA-dependent RNA polymerase
- C. Inhibits reverse transcriptase
- D. Inhibits viral protease
- E. Stimulates lipoprotein lipase

**ANSWER: D**

## QUESTION NO: 7

An enzyme is:

- A. an oligopeptide
- B. a nucleic acid
- C. unable to hydrolyse polysaccharides
- D. a catalyst
- E. changed chemically in a reaction

**ANSWER: D**

## QUESTION NO: 8

Class of cascara is:

- A. H2 antagonists
- B. Macrolides
- C. Cathartics
- D. Analgesics
- E. Lipid lowering drugs

**ANSWER: C**

## QUESTION NO: 9

Indication of doxycycline is:

- A. Bacteroides (other than Bacteroides fragilis)
- B. Asthma
- C. Meniere's disease
- D. Water intoxication
- E. Broad spectrum antibacterial agent

**ANSWER: E**

## QUESTION NO: 10

Diazepam Injection U.S.P

Diazepam 5 mg/ml

Ethanol 10%

Propylene glycol 40%

Benzyl alcohol 1.5%

Water for Injection qs 100%

In the formulation given above, the following ingredient(s) function(s) as a cosolvent(s):

I ethanol

II propylene glycol

III benzyl alcohol

- A. I only
- B. III only
- C. I and II only
- D. II and III only
- E. I, II and III

**ANSWER: C**

## QUESTION NO: 11

Gonorrhea, a sexually transmitted disease may be treated by which of the following agents?

- I- Cefixime
  - II- Ceftriaxone
  - III- Ciprofloxacin
- A. I only
  - B. III only
  - C. I and II only
  - D. II and III only
  - E. All are correct

**ANSWER: E**

## QUESTION NO: 12

Class of tocainide is:

- A. Thiazides
- B. Antiarrhythmic agents
- C. Cephalosporins
- D. Autonomic nervous system drugs
- E. Beta blockers

**ANSWER: B**

## QUESTION NO: 13

The MOST well known characteristic symptom of asthma include:

- A. Wheezing
- B. Mucosal edema
- C. Cough
- D. Chest tightness

E. Tachycardia

**ANSWER: A**

## QUESTION NO: 14

Vitamin that requires an intrinsic factor to be carried out to ileum in order to suffer absorption from the small intestine:

- A. Cyanocobalamin
- B. Folic acid
- C. Pantothenic acid
- D. Pyridoxine
- E. Niacin

**ANSWER: B**

## QUESTION NO: 15

Colitis associated with antibiotic use can best be treated by:

- A. Cephalosporins
- B. Macrolides
- C. Aminoglycosides
- D. Vancomycin
- E. Penicillin

**ANSWER: D**

## QUESTION NO: 16

Which of the following statements refers to etidronate?

- A. Binds to DNA, preferentially to GC pairs. Inhibits RNA, DNA, and protein synthesis.
- B. Human, pig, salmon, and eel calcitonins are available.



- C. Is used for both therapy and prophylaxis of influenza A.
- D. Bioavailability increases with administered dose.
- E. Only approved by FDA for hypertension treatment.

**ANSWER: D**

## QUESTION NO: 17

Which of the following amino acid is an important precursor of hemoglobin?

- A. Alanine
- B. Proline
- C. Leucine
- D. Glycin
- E. Histadin

**ANSWER: A**

## QUESTION NO: 18

Correct administration of Penicillamine in the treatment of rheumatois arthritis include:

- A. With meals
- B. In emptying stomach
- C. With plenty of water
- D. With orange juice
- E. Before bedtime

**ANSWER: B**

## QUESTION NO: 19

Class of pectin is:

- A. Analgesics
- B. Glucocorticosteroids
- C. Methylxanthines
- D. Antidiarrheal agents
- E. Antiarrhythmic agents

**ANSWER: D**

## QUESTION NO: 20

Which of the following statements refers to foscavir?

- A. Pyrophosphate analog
- B. Metabolism in liver is by glucuronidization
- C. Not shown to reduce sudden death or prolong survival.
- D. Inhibition of DNA gyrase results in: 1. Inhibition of bacterial replication 2. Inhibition of DNA repair 3. Inhibition of expression of certain operons
- E. Non-nucleoside reverse transcriptase inhibitor

**ANSWER: A**