

DUMPSQUEEN

SAP Certified Technology Associate - SAP System Security and Authorizations

SAP C SECAUTH 20

Version Demo

Total Demo Questions: 10

Total Premium Questions: 80

Buy Premium PDF

<https://dumpsqueen.com>

support@dumpsqueen.com

dumpsqueen.com

Topic Break Down

Topic	No. of Questions
Topic 1, Authorization and Role Maintenance	25
Topic 2, SAP Fiori Authorizations and S/4HANA	10
Topic 3, Access Governance and Compliance in SAP	10
Topic 4, Infrastructure Security and Authentication	7
Topic 5, User Administration	4
Topic 6, Security Monitoring and Security Assessment	5
Topic 7, Data Privacy Governance and Cybersecurity	12
Topic 8, Security Audit	7
Total	80

QUESTION NO: 1

How can you enforce an additional transaction start authorization check for a custom transaction?

- A. Maintain the SU24 entry for the custom transaction and adding the desired authorization object, setting the Check Indicator to "Check" and setting Proposal to Yes.
- B. Using transaction SE93, update the custom transaction definition by specifying the desired authorization object and maintaining the desired field values.
- C. Without additional custom development it is not possible to add another check during transaction start.
- D. For each role containing the custom transaction, add the desired authorization object manually in transaction PFCG, maintain the field values and then generate the profile.

ANSWER: A

QUESTION NO: 2

You want to turn off the SAP Menu on the Easy Access Menu screen. What administrative function do you need in Authorization Object S_USER_ADM?

- A. SSM_CUST
- B. PRGN_CUST
- C. USR_CUST
- D. USR_CUST_S

ANSWER: A

QUESTION NO: 3

Which of the following app-specific types of entities do users need to use SAP Fiori apps? (Choose two.)

- A. Authorizations
- B. Master Data
- C. UI
- D. Parameters

ANSWER: C D

QUESTION NO: 4

A PFCG role can be linked to an SAP Organizational Management structure by which object types? (Choose three.)

- A. Person
- B. Position
- C. Job
- D. Organizational Unit
- E. Task

ANSWER: B C D

QUESTION NO: 5

Which transaction codes are relevant to enable SNC between ABAP systems? (Choose three.)

- A. SNC0
- B. PFCG
- C. RZ10
- D. STRUST
- E. SU01

ANSWER: A C D

QUESTION NO: 6

Which authorization object is required to modify authorization data of derived roles?

- A. S_USER_SYS
- B. S_USER_AUT
- C. S_USER_VAL
- D. S_USER_AGR

ANSWER: D

QUESTION NO: 7

What is the equivalent of the AS ABAP user type System in the AS Java UME security policy?

- A. Default user
- B. J2EE user
- C. Technical user
- D. Internal service user

ANSWER: C

QUESTION NO: 8

Which of the following checks are performed for SAProuter by the SAP Security Optimization Service? (Choose three.)

- A. SAProustab Check
- B. Password Check
- C. Secure Network Communication Check
- D. User Management Check
- E. Operating System Access Check

ANSWER: A C E

QUESTION NO: 9

Which transaction code allows you to configure the SAP Security Audit Log?

- A. SM19
- B. SM20
- C. SM18
- D. SUIM

ANSWER: A

QUESTION NO: 10

Which of the following are examples of personal data under the GDPR? (Choose three.)

- A. IP address
- B. Aggregated statistics on the use of a product
- C. GPS data from a cellular phone
- D. Age group
- E. E-mail address

ANSWER: A C E