**DB2 11 Fundamentals for z/OS** 

IBM C2090-320

**Version Demo** 

**Total Demo Questions: 10** 

**Total Premium Questions: 123** 

**Buy Premium PDF** 

https://dumpsqueen.com

support@dumpsqueen.com

dumpsqueen.com

<b></b>	11	E	CT	-17	٦I	NI I	N	<u> </u>		4
w	u	_	•		21		N	u	-	

Which types of user-defined data types are supported? (Choose two.)

- A. CHAR
- B. ARRAY
- C. NUMERIC
- D. DISTINCT
- E. TIMESTAMP

# **ANSWER: B D**

## **Explanation:**

Reference: https://www.ibm.com/support/knowledgecenter/en/SSEPEK\_11.0.0/sqlref/src/tpc/db2z\_userdefineddatatypes.html

## **QUESTION NO: 2**

Which of the following effectively and efficiently manages priorities of a mixed workload as a result of its tight integration with DB2 for z/OS?

- A. Data Facility Storage Management
- B. z/OS Parallel Sysplex Configuration
- C. Workload Manager
- D. z Systems Processor Resource

## **ANSWER: B**

## **Explanation:**

Reference: https://www.ibm.com/support/knowledgecenter/en/SSEPEK\_11.0.0/intro/src/tpc/db2z\_benefitsofdb2zasserver.html

# **QUESTION NO: 3**

Which of the following utilities or utility control statements require datasets for execution?

A. LISTDEF

- **B. OPTIONS**
- C. TEMPLATE
- D. CHECK LOB

#### **ANSWER: A**

## **QUESTION NO: 4**

Which of the following are contained in the PLAN\_TABLE? (Choose two.)

- A. RUNSTATS recommendations
- B. Access to LOB values, which are stored separately from the base table
- C. Access to parent or dependent tables needed to enforce referential constraints
- **D.** Whether an index access or table space scan is used for each access to a table
- E. The join methods and types that are used, and the order in which DB2 joins the tables

## ANSWER: DE

#### **QUESTION NO: 5**

You need to add the employee picture to the employee table. Which of the following is the appropriate built-in data type for storing images?

- A. BLOB
- B. CLOB
- C. DBCLOB
- **D. VARGRAPHIC**

# **ANSWER: A**

# **Explanation:**

Reference https://www.ibm.com/support/knowledgecenter/en/SSEPEK\_12.0.0/sqlref/src/tpc/ db2z\_sql\_createtable.html

# **QUESTION NO: 6**

Given the following INDEX definition, which attributes apply to this index? (Choose two.)

CREATE UNIQUE INDEX DSN8B10.XDEPT1
ON DSN8B10.DEPT
(DEPTNO)
USING VCAT DSNCAT
PIECESIZE 1048576K;

- A. The index is partitioned
- B. The index data sets are user-managed
- C. The index data sets are DB2-managed
- D. The index is unique and in ascending order
- E. The maximum total size of the index is 1 GB

# **ANSWER: A B**

# **QUESTION NO: 7**

Which type of constraint is NOT enforced by DB2 during SQL processing?

- A. Check
- B. Referential
- C. Primary key
- D. Informational referential

#### ANSWER: D

# **Explanation:**

Reference: https://www.ibm.com/support/knowledgecenter/en/SSEPGG\_9.7.0/com.ibm.db2.luw.admin.dbobj.doc/doc/c0020149.html

# **QUESTION NO: 8**

Which of the following CREATE TABLE or associated CREATE INDEX options are valid when defining a table with the PARTITION BY RANGE clause? (Choose two.)

- A. MAXPARTITIONS
- B. ENDING AT clause on a CREATE INDEX statement for the table
- C. MEMBER CLUSTER

- D. ENDING AT clause on the CREATE TABLE statement
- E. A LOB column specified as a column of the partitioning key

#### **ANSWER: BE**

# **QUESTION NO: 9**

Which of the following can activate a trigger?

- A. A row is inserted
- B. A table or view is created
- C. A check constraint is defined
- D. A referential constraint is violated

#### ANSWER: D

# **Explanation:**

Reference: https://www.ibm.com/support/knowledgecenter/en/SSEPEK\_11.0.0/intro/src/tpc/ db2z\_triggers.html

# **QUESTION NO: 10**

When you add an XML column to a table by using an ALTER TABLE statement, which of the following are TRUE? (Choose two.)

- A. DB2 implicitly creates an XML table space
- B. DB2 implicitly creates an AUX table to store the XML data
- C. If this is the first XML column you created for the table, DB2 implicitly creates a unique index on the XML column
- D. If this is the first XML column you created for the table, DB2 implicitly creates a ROWID column on the base table
- **E.** If this is the first XML column you created for the table, DB2 implicitly creates a BIGINT node ID column on the base table

# **ANSWER: A E**