

# DUMPSQUEEN

## Arista Linux Essentials Exam

Arista ACE-P-ALE1.04

Version Demo

Total Demo Questions: 6

Total Premium Questions: 99

Buy Premium PDF

<https://dumpsqueen.com>

[support@dumpsqueen.com](mailto:support@dumpsqueen.com)

dumpsqueen.com

## QUESTION NO: 1

Which of the following are valid examples of script interpreters?

- A. /usr/bin/bash
- B. /usr/bin/perl
- C. /usr/bin/python
- D. /usr/bin/Cli
- E. All of them

**ANSWER: D**

## QUESTION NO: 2

When configuring SSH, which file is needed for key-based authentication?

- A. known\_hosts
- B. /etc/shadow
- C. /etc/passwd
- D. authorized\_keys

**ANSWER: D**

**Explanation:**

Reference: <https://www.digitalocean.com/community/tutorials/how-to-configure-ssh-key-based-authentication-on-a-linux-server>

## QUESTION NO: 3

Which two characters are required at the top of a script to inform the kernel on which interpreter to use? (choose two)

- A. !!
- B. \$!
- C. # \$

D. #!

**ANSWER: B D**

## QUESTION NO: 4

The init system in Linux has been replaced by what?

- A. SysDB
- B. systemd
- C. ProcMgr
- D. Lauchner

**ANSWER: B**

**Explanation:**

Reference: <https://www.quora.com/Why-is-“systemd”-replacing-“init”-in-Linux>

## QUESTION NO: 5

What must you do to get a complete report from the lsof command?

- A. Run it at boot time
- B. Make it part of systemd
- C. Run it as root
- D. Run it as a regular user

**ANSWER: C**

## QUESTION NO: 6

In bash scripting, which of the following comparison operators are used on strings?

- A. -gt
- B. -eq
- C. ==

D. <=

E. -f

**ANSWER: C**