

DUMPSQUEEN

VMware Workspace ONE 21.X Advanced Integration Specialist

VMware 5V0-61.22

Version Demo

Total Demo Questions: 10

Total Premium Questions: 60

Buy Premium PDF

<https://dumpsqueen.com>

support@dumpsqueen.com

dumpsqueen.com

QUESTION NO: 1

A VMware Workspace ONE administrator and the Information Security Officer reported that the Unified Access Gateway (UAG) front-end network is compromised. The compromised device was reconfigured to bypass the UAG.

Why did this action fail in a two-NIC deployment?

- A. The UAG combines layer 5 firewall rules with layer 7 Unified Access Gateway security
- B. The UAG combines layer 4 firewall rules with layer 7 Unified Access Gateway security
- C. The UAG combines layer 3 firewall rules with layer 7 Unified Access Gateway security
- D. The UAG combines layer 2 firewall rules with layer 7 Unified Access Gateway security

ANSWER: B

QUESTION NO: 2

The following functionalities must be achieved:

Assign Device Profiles

Apply Data Loss Prevention

Provide App catalog with Custom Templates

Which two components at a minimum, need to be integrated to achieve these functionalities? (Choose two.)

- A. Workspace ONE Intelligence
- B. AirWatch Cloud Connector
- C. Unified Access Gateway
- D. Hub Services
- E. Workspace ONE UEM

ANSWER: B E

QUESTION NO: 3

Which two virtual desktop infrastructures (VDI) are supported as an integration in VMware's Anywhere Workspace with the VMware Workspace ONE Access Connector v21.08+? (Choose two.)

- A. Citrix

- B. V2 Cloud
- C. Workspot
- D. ThinApp
- E. Horizon

ANSWER: A E

QUESTION NO: 4

Which two directory sync types are valid when configuring password (cloud deployment) authentication for VMware Workspace ONE Access? (Choose two.)

- A. RSA SecureID
- B. RSA Authentication
- C. RADIUS Authentication
- D. Active Directory over LDAP/IWA
- E. LDAP Directory

ANSWER: D E

QUESTION NO: 5

Which statement accurately describes Just-in-Time Provisioning (JIT)?

- A. Workspace ONE Access acts as the service provider
- B. Users are pre-synced into Workspace ONE Access from an Active Directory
- C. Workspace ONE Access Connector is required for JU Provisioning to work
- D. JIT provisioned users can be individually deleted

ANSWER: C

QUESTION NO: 6

Which step accurately outlines the SQM provisioning flow from Okta to Workspace ONE UEM?

- A. AirWatch Provisioning App uses SCW API to update users in Workspace ONE UEM
- B. Okta provisions users to Workspace ONE Access using SCIM API

- C. Workspace ONE Access utilizes SCIM API to provision users to Workspace ONE UEM
- D. Okta uses Workspace ONE UEM REST API to add users to the console

ANSWER: C

QUESTION NO: 7

An IT administrator starts infrastructure design for authentication management and would like to enable the single sign-on ability into VMware Workspace ONE UEM Self-Service Portal and VMware Workspace ONE console for administrators.

Which third-party component should the IT administrator use?

- A. SAML-based Identity Provider
- B. Active Directory
- C. LDAP based Directory
- D. DHCP

ANSWER: A

QUESTION NO: 8

Which two considerations should be noted when designing a Workspace ONE environment? (Choose two.)

- A. Installing all product components
- B. Testing environment
- C. Involving stakeholders
- D. Defining business drivers
- E. Configuring integrations

ANSWER: C D

QUESTION NO: 9

Which three resources can be deployed to users through Workspace ONE Access? (Choose three.)

- A. Email account
- B. Web applications
- C. Virtual desktops

- D. Virtual applications
- E. Native applications
- F. Device profiles

ANSWER: B D E

QUESTION NO: 10

What is the primary purpose of VMware Workspace ONE Trust Network in VMware Workspace ONE Intelligence?

- A. Delivering VPN profiles to devices
- B. Assisting with integration of the Multi-Domain directory services across a trusted network
- C. Integrating threat data from security solutions, including endpoint detection and response (EDR) solutions
- D. Providing applications to end users

ANSWER: C