

DUMPSQUEEN

**SAP Certified Associate - Reporting, Modeling
and Data Acquisition with SAP BW/4HANA 2.x**

SAP C BW4HANA 27

Version Demo

Total Demo Questions: 10

Total Premium Questions: 80

Buy Premium PDF

<https://dumpsqueen.com>

support@dumpsqueen.com

dumpsqueen.com

QUESTION NO: 1

With SAP BW/4HANA, the new HANA-optimized business content is designed according to the LSA++ framework. Which technical namespace is assigned to identify the new SAP ERP-related business content?

- A. /BW4/
- B. /IMO/
- C. /SFA/
- D. /0SAP/

ANSWER: B

QUESTION NO: 2

Your company is using SAP S/4HANA as a business operational system and you have to provide operational analytical reports. Why might you consider SAP S/4HANA embedded analytics?

- A. To use the SAP HANA Deployment Infrastructure
- B. To use the generated external SAP HANA Calculation Views
- C. To use the SAP HANA optimized business content
- D. To use the ABAP CDS view based virtual data model

ANSWER: D

QUESTION NO: 3

In an SAP HANA smart data integration flowgraph, which transformation options are available? Note: There are 3 correct answers to this question.

- A. Split datasets
- B. Call an ABAP function module
- C. Execute a stored procedure
- D. Execute an SAP HANA analysis process
- E. Combine datasets

ANSWER: A C E

QUESTION NO: 4

In a DatStore object (advanced) of type Data Mart, which request-based deletion is possible?

- A. The latest not-yet-activated request in the inbound table
- B. The latest request in the active data table
- C. Any older activated request in the inbound table
- D. The latest request in the change log table

ANSWER: A

QUESTION NO: 5

When loading master data for a material, you want to look at the new values before they are released for reporting. What could you do using modeling features? Note: There are 2 correct answers to this question.

- A. When you define the attributes of material, select the "Time Dependent" setting
- B. When you define the data transfer process, select the "Load records with new key only" setting
- C. When you define the data transfer process, choose the "Set Manually" setting for "Overall status of request"
- D. When you define the material characteristic, select the "Enhanced Master data update" setting

ANSWER: C D

QUESTION NO: 6

Which modeling function is possible in modeling with an SAP HANA Calculation View that is not possible in modeling with a CompositeProvider?

- A. Generate a rank column
- B. Combine datasets by union
- C. Use aggregation for datasets
- D. Create a calculated column

ANSWER: A

QUESTION NO: 7

From which SAP BW/4HANA objects can you start generating an external View? Note: There are 2 correct answers to this question.

- A. CompositeProvider
- B. Open ODS view
- C. Semantic group object
- D. BW query

ANSWER: A D

QUESTION NO: 8

You use SAP HANA to integrate an HDI Calculation View (data category Dimension) into another HDI Calculation View (data category Cube with Star Join). What do you need to do before you can integrate the HDI Calculation View (data category Dimension)?

- A. Build the run time object of the HDI Calculation View (data category Cube with Star Join) to generate a design time file
- B. Integrate the design time file of the HDI Calculation View (data category Dimension) into a CompositeProvider.
- C. Build the design time file of the HDI Calculation View (data category Dimension) to generate a run time object
- D. Integrate the design time file of the HDI Calculation View (data category Cube with Star Join) into a CompositeProvider.

ANSWER: C

QUESTION NO: 9

You create an SAP HANA HDI Calculation View. What are some of the reasons to choose the data category Cube with Star Join instead of data category Dimension? Note: There are 3 correct answers to this question.

- A. Create restricted columns
- B. Provide default time characteristics
- C. Persist transactional data
- D. Combine master data and transactional data
- E. Aggregate measures as a sum

ANSWER: C D E

QUESTION NO: 10

You notice that an SAP ERP ODP_SAP DataSource is delivering incorrect values into the first persistent data layer in SAP BW/4HANA. Which options do you have to analyze a potential extractor issue? Note: There are 2 correct answers to this question.

- A. Use the ODQ maintance in SAP BW/4HANA
- B. Use transaction RSA3 (Extractor checker) in SAP ERP
- C. Check entries in table RSDDSTATEXTRACT in SAP ERP
- D. Use program RODPS_REPL_TEST in SAP ERP

ANSWER: B D