

# DUMPSQUEEN

## Salesforce Certified OmniStudio Developer (SP24)

Salesforce OmniStudio-Developer

Version Demo

Total Demo Questions: 10

Total Premium Questions: 86

Buy Premium PDF

<https://dumpsqueen.com>

[support@dumpsqueen.com](mailto:support@dumpsqueen.com)

dumpsqueen.com

## QUESTION NO: 1

A developer creates a Flexcard that displays a contact's mailing address and passes the contact's postal code to a child FlexCard.

When configuration text elements in the child FlexCard, what syntax should a developer use to refer to the contact's postal code?

- A. {Postalcode}
- B. {Parent.postalcode}
- C. {Records.postalcode}
- D. {Params.postalcode}

**ANSWER: B**

## QUESTION NO: 2

An OmniScript updates data from one Salesforce record, but when it completes, only some of the data is updated in Salesforce. A DataRaptor Load saves the data. What error could cause this behavior?

Choose 2 answers

- A. The fields that are not updated are read only in Salesforce.
- B. In the DataRaptor Load, in the Preview tab, the Record is from the wrong record type.
- C. The input JSON paths In the DataRaptor Load do not match the JSON from the OmniScript.
- D. ContextId is misspelled in the merge code that passes the RecordId to the DataRaptor

**ANSWER: A C**

## QUESTION NO: 3



A)

```
"Step1": {  
  "Block1": {  
    "Text1": "Text",  
    "Block2": {  
      "Telephone1": "1234567890",  
      "Checkbox1": false  
    }  
  },  
  "Block3": {  
    "Multi-select1": "Value A;Value B"  
  }  
}
```

B)

```
"Step1": {  
  "Block1": {  
    "Text1": "Text",  
    "Telephone1": "1234567890",  
    "Block2": {  
      "Checkbox1": false  
    }  
  },  
  "Block3": {  
    "Multi-select1": "Value A;Value B"  
  }  
}
```

A. Option A

B. Option B

**ANSWER: A**

## QUESTION NO: 4

In an Integration Procedure, a developer needs to perform a multi-step calculation on every element of an array.

Based on best practices, what two methods are recommended?

Choose 2 answers


- A. Use a Set Values Element inside a Loop Block.
- B. Use a Decision Matrix Action to call a Decision Matrix.
- C. Use a List Action to merge the array elements together.
- D. Use an Expression Set Action to call an Expression Set.

ANSWER: A D

## QUESTION NO: 5

Refer to the exhibit below. A developer has configured an integration Procedure element with Additional input.


Alternatively, how could the developer configure SEND/RESPONSE TRANSFORMATION to send exactly the same data? Assume the developer has un-checked Send Only Additional input.




A)



B)



C)



D)



- A. Option A
- B. Option B
- C. Option C
- D. Option D

**ANSWER: D**

## QUESTION NO: 6

A developer needs to display the following information together on one FlexCard:

- \* Account name, address, phone number, website
- \* Primary contact first name, contact name, address, phone number, email

The account information must always be visible, and the contact information should only be visible as needed by the user.

What approach should the developer use to display the contact information on the card?

- A. Use a Datatable element
- B. Set the class "collapsible" on the block element
- C. Set the collapsible property on the block element
- D. Use a conditional FlexCard State

**ANSWER: C**

## QUESTION NO: 7

An OmniScript displays data from an API using Integration Procedure, but some of the data is missing.

Which two configuration errors could cause this? Choose 2 answers

- A. The element name for the missing data does not match the JSON node key in the Integration Procedure Response.
- B. The Integration Procedure Preview Input Parameters do not match the JSON sent from the OmniScript.
- C. The JSOW sent from the Integration Procedure Action does not match any of the Original Input for the Integration Procedure
- D. The missing data is trimmed in the Integration Procedure Action Response JSON Path.

**ANSWER: A D**

## QUESTION NO: 8

Which two in an integration Procedure or DataRaptor can execute a function like CONCAT or DATEDIFF?

Choose 2 answers

- A. In a Set Values Action in a Value field.
- B. In a DataRaptor in an Output Tab Output JSON Path.
- C. In a DataRaptor Action in an Input Parameters value field.
- D. In a Remote Action in an Additional Output value field.

**ANSWER: A D**

## QUESTION NO: 9

Refer to the exhibit.

| Input Data           | Output Data   |
|----------------------|---------------|
| ProductCode (Text) ✓ | BasePrice (#) |
| Search column        | Search column |
| ACC154               | 10.23         |
| CAA876B              | 20.36         |
| HRA320               | 12.99         |
| HRA320B              | 13.99         |

All inputs to the Calculation Matrix are set correctly.

The Calculation Matrix has the following input:

```
{
  "input": {
    "ProductCode": "HRA320"
  }
}
```

What is the output?

- A. Null
- B. 13.99
- C. 12.99,13.99
- D. 12.99

**ANSWER: B**

## QUESTION NO: 10

A developer needs to retrieve data from an external system that stores policy data. The external system supports REST APIs to access and update the policies. Due to the volume of the policy data and peak hours of business, calls to the REST APIs sometimes take longer than expected to respond.

The developer creates an Integration Procedure to retrieve the policy data for use in an OmniScript.

Given the external system's known performance issues, which two configurations should be used to implement the call to the external system?

Choose 2 answers

- A. Set the Timeout property on the HTTP Action in the Integration Procedure
- B. Check the Chainable checkbox on the Integration Procedure Action in the OmniScript
- C. Configure a Remote action with timeout settings of 120000
- D. Check the Chain On Step checkbox on the HTTP Action in the Integration Procedure

**ANSWER: A C**