SAP Certified Application Associate - SAP HANA Cloud Modeling

SAP C HCMOD 03

Version Demo

Total Demo Questions: 10

Total Premium Questions: 80

Buy Premium PDF

https://dumpsqueen.com

support@dumpsqueen.com

dumpsqueen.com

QUESTION NO: 1

In your calculation view, you want to consume a custom data source defined using SQLScript.In which type of object do you write your code?

- A. Scalar function
- B. Table function
- C. Anonymous block
- D. Procedure

ANSWER: B

QUESTION NO: 2

You have imported calculation views from SAP HANA on-premise to SAP HANA Cloud. Why should you switch calculated column expression language from column engine to SQL?

- A. To benefit from additional SQL optimizations
- **B.** Incorrect aggregations may be generated
- C. Column engine language is not supported.
- **D.** To define limits for query unfolding

ANSWER: A

QUESTION NO: 3


In Business Application Studio, you rename a DIMENSION calculation view that is used by a CUBE calculation view. You do NOT use the option to rename the runtime view and adjust the reference. Afterward, you perform the following deploy operations:Deploy the DIMENSION calculation view as a single object.Deploy the entire SAP HANA database module.What is the outcome of the deploy operations?

- **A.** The first deployment is successful. The second deployment fails.
- **B.** The first deployment is successful. The second deployment is successful.
- **C.** The first deployment fails. The second deployment fails.
- **D.** The first deployment fails. The second deployment is successful.

ANSWER: B

QUESTION NO: 4

Referring to the diagram,



which privileges would a user require to view United States data when querying the CUBE calculation view?

A. A SELECT privilege on the CUBE calculation view and an Analytic Privilege (Country = United States) on the DIMENSION calculation view

- B. A SELECT privilege and an Analytic Privilege (Country = United States) on the DIMENSION calculation view
- C. A SELECT privilege and an Analytic Privilege (Country = United States) on the CUBE calculation view
- D. SELECT privileges and Analytic Privileges (Country = United States) on both views

ANSWER: A

QUESTION NO: 5

Why does SAP issue warnings about the use of imperative or procedural SQLScript statements?

- **A.** They can limit parallelization of query execution.
- **B.** They introduce potential security risks.
- **C.** They could modify the database.
- **D.** They call multiple processing engines.

ANSWER: B

QUESTION NO: 6

What are the consequences of NOT executing a delta merge? Note: There are 2 correct answers to this question.

- A. Read performance decreases.
- B. New records are not read.
- C. Memory is not optimized.
- D. Aggregates are not adjusted.

ANSWER: A B

QUESTION NO: 7

In a calculation view, why would you implement an SQL expression? Note: There are 3 correct answers to this question.

- A. To generate hierarchies
- B. To define a filter
- C. To convert currencies
- **D.** To generate a restricted column
- E. To generate a calculated column

ANSWER: BDE

QUESTION NO: 8

Why would you choose an HDI-shared service plan instead of a schema service plan? Note: There are 3 correct answers to this question.

- **A.** You want to use SAP Business Application Studio.
- **B.** You want to use containers to isolate objects.
- C. You want to develop calculation views.
- **D.** You want to create database objects using source files.
- **E.** You want to use synonyms to access external data.

ANSWER: A B D

QUESTION NO: 9

What are some of the typical roles in an SAP HANA Cloud implementation? Note: There are 2 correct answers to this question.

- A. Data architect
- B. Modeler
- C. Kubernetes expert
- **D.** ABAP developer

ANSWER: A B

QUESTION NO: 10

You have imported a new calculation view in a folder that contains an .hdinamespace file. This calculation view consumes one data source, which is a table. When trying to deploy the calculation view, the deployment fails with a namespace-related issue. What could be the reason? Note: There are 2 correct answers to this question.

- **A.** The namespace used within the calculation view to reference the table is different from the actual namespace in the identifier of this table.
- B. The imported calculation view and its data source have different namespaces.
- **C.** An .hdinamespace file is defined in the SRC folder that specifies a different namespace property than the one in the identifier of the calculation view.
- **D.** The .hdinamespace specifies "sub-folder": "append", so calculation views can only be created in subfolders.

ANSWER: A B