

DUMPSQUEEN

VMware Cloud Professional

VMware 2V0-33.22

Version Demo

Total Demo Questions: 10

Total Premium Questions: 126

Buy Premium PDF

<https://dumpsqueen.com>

support@dumpsqueen.com

dumpsqueen.com

QUESTION NO: 1

When preparing to deploy VMware Cloud on Dell EMC or VMware Cloud on AWS Outposts In a data center, which two physical constraints must be considered? (Choose two.)

- A. Having enough existing rack space for the components
- B. Distance between loading dock and datacenter
- C. Size of the doorways between loading dock and datacenter
- D. Having enough people to carry the equipment
- E. Floor and elevator weight capacity between loading dock and datacenter

ANSWER: A E

Explanation:

<https://aws.amazon.com/vmware/outposts/faqs/>

When deploying VMware Cloud on Dell EMC or VMware Cloud on AWS Outposts in a data center, it is important to consider the amount of existing rack space available for the components, as well as the floor and elevator weight capacity between the loading dock and the data center. The distance between the loading dock and the data center, the size of the doorways between the loading dock and the data center, and the number of people available to carry the equipment are not relevant factors to consider.

QUESTION NO: 2

Which two steps should an administrator take to allow HTTPS access to a specific virtual machine (VM) through the public Internet for VMware Cloud on AWS? (Choose two.)

- A. Create a custom service called HTTPS using port 443.
- B. Configure AWS Direct Connect.
- C. Configure a SNAT rule translating an internal IP address to a public IP address.
- D. Request a public IP address in the VMware Cloud console.
- E. Configure a DNAT rule translating a public IP address to an internal IP address.

ANSWER: A D

Explanation:

To allow HTTPS access to a specific VM through the public Internet for VMware Cloud on AWS, the administrator must first create a custom service called HTTPS using port 443. They must then request a public IP address in the VMware Cloud console.

QUESTION NO: 3

A cloud administrator is responsible for managing a VMware Cloud solution and would like to ensure that I/O-intensive workloads run in the most optimum way possible.

Which two steps should the administrator complete on I/O-intensive workloads to meet this requirement? (Choose two.)

- A. Ensure that the VMware hardware version is 7 or later.
- B. Enable the memory hot-add feature.
- C. Configure the LSI Logic Parallel SCSI controller.
- D. Configure the VMware Paravirtual SCSI (PVSCSI) adapter.
- E. Configure a maximum of two CPU cores per socket.

ANSWER: A D

Explanation:

The two steps that the cloud administrator should complete on I/O-intensive workloads to ensure the best performance possible are to configure the VMware Paravirtual SCSI (PVSCSI) adapter and to ensure that the VMware hardware version is 7 or later. The PVSCSI adapter provides improved performance and scalability compared to the LSI Logic Parallel SCSI controller. Additionally, the hardware version should be 7 or later to ensure that the virtual machine is able to take advantage of the latest features and enhancements. Enabling the memory hot-add feature and configuring a maximum of two CPU cores per socket will not improve the performance of I/O-intensive workloads.

Why does VMware refuse to educate their customers ... - VMware ...

<https://communities.vmware.com/t5/VMware-Education-Services/Why-does-VMware-refuse-to-educate-their-customers/td-p/2005973>

VMware Technical Support Guide

<https://www.vmware.com/pdf/techsupportguide.pdf>

Publishing Applications with VMware Horizon 7

<https://vcdx.vmware.com/content/dam/digitalmarketing/vmware/ru/pdf/techpaper/vmware-horizon-7-application-publishing.pdf>

LSI Logic Parallel, LSI Logic SAS, or VMware Paravirtual

For most guest operating systems, the default virtual storage adapter in VMware Cloud on AWS is either LSI Logic Parallel or LSI Logic SAS, depending on the guest operating system and the virtual hardware version.

However, VMware Cloud on AWS also includes a paravirtualized SCSI storage adapter, PVSCSI (also called VMware Paravirtual). The PVSCSI adapter offers a significant reduction in CPU utilization as well as potentially increased throughput compared to the default virtual storage adapters, and is thus the best choice for environments with very I/O-intensive guest applications.

In order to use PVSCSI, your VM must be using virtual hardware version 7 or later.

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/vmc-aws-performance.pdf>

QUESTION NO: 4

With which solution is the cloud administrator interfacing when defining storage policies in a VMware Cloud software-defined data center (SDDC)?

- A. VMware Virtual Volumes (vVols)
- B. VMware vSAN
- C. iSCSI
- D. VMware Virtual Machine File System (VMFS)

ANSWER: B

Explanation:

VMware vSAN is a distributed storage platform that is integrated into the VMware Cloud software-defined data center (SDDC). It provides policy-based storage management, allowing cloud administrators to define storage policies that can be applied to virtual machines and other workloads. These policies govern how data is stored, replicated, and secured, and are used to ensure that data is stored in a consistent and compliant manner.

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/com.vmware.vsphere.vmc-aws-manage-data-center-vms.doc/GUID-EDBB551B-51B0-421B-9C44-6ECB66ED660B.html>

QUESTION NO: 5

What is a key driver behind the multi-cloud journey?

- A. Facilitate disaster recovery
- B. Application modernization

- C. Digital transformation
- D. Cost savings

ANSWER: C

Explanation:

A key driver behind the multi-cloud journey is digital transformation, which is the process of using technology to optimize existing processes and systems in order to improve customer experiences, increase operational efficiency, and accelerate business growth. Multi-cloud solutions can help organizations modernize their applications and services, reduce costs, increase agility, and support digital transformation initiatives. For more information, please refer to the official VMware Cloud on AWS documentation at: <https://docs.vmware.com/en/VMware-Cloud-on-AWS/index.html>.

QUESTION NO: 6

A cloud administrator needs to create a virtual machine that requires layer 2 connectivity to an on-premises workload. Which type of network segment is required?

- A. Existing
- B. Outbound
- C. Extended
- D. Routed

ANSWER: C

Explanation:

An extended network segment is required for a cloud administrator to create a virtual machine that requires layer 2 connectivity to an on-premises workload. Extended networks allow for the virtual machines to communicate directly with the on-premises workload while remaining isolated from the public cloud. This allows for the virtual machines to access the same services and workloads as the on-premises workloads while still remaining secure.

QUESTION NO: 7

A cloud administrator needs to extend a network and requires that routing be handled at the source.

Which network segment type does VMware HCX Network Extension create in the VMware Cloud software-defined data center (SDDC) when extending the network?

- A. Extended
- B. Routed
- C. Private
- D. Disconnected

ANSWER: B

Explanation:

<https://docs.vmware.com/en/VMware-Validated-Design/services/sddc-extending-to-vmware-cloud-on-aws/GUID-EDF0E8DB-2195-4EC2-9CE8-1BF51C5173A5.html>

<https://docs.vmware.com/en/VMware-HCX/4.5/hcx-user-guide/GUID-4052AC3F-9FFC-4FA2-ACB4-18B21962F4D3.html>

VMware HCX Network Extension creates a routed network segment type in the VMware Cloud software-defined data center (SDDC) when extending the network. This routed segment is used to connect the on-premises environment with the VMware Cloud SDDC, allowing traffic to flow between the two. The other options (extended, private, and disconnected segments) are not created by Network Extension.

QUESTION NO: 8

A virtual machine running in VMware Cloud on AWS is experiencing poor CPU performance. What are two steps the cloud administrator can take to troubleshoot this issue? (Choose two.)

- A. Physically access the console of the VMware ESXi host where the virtual machine resides and use the command line to review the logs.
- B. Use the Troubleshooting Workbench in VMware vRealize Operations Cloud to look for potential evidence.
- C. Set the power management policy on the VMware ESXi host to "High Performance."
- D. Log in to the VMware ESXi host using SSH and run 'esxtop' to examine CPU statistics.
- E. Use the VMware vSphere Client to connect to the VMware vCenter which manages the virtual machine and examine its performance statistics.

ANSWER: B E

Explanation:

"It is a good idea to periodically monitor the CPU usage of the host. This can be done through the vSphere Client, using the VMware vRealize Operations management suite, or by using resxtop. Below we describe how to interpret resxtop"

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/vmc-aws-performance.pdf>

<https://docs.vmware.com/en/VMware-Cloud-on-AWS/services/vmc-aws-performance.pdf>

QUESTION NO: 9

A cloud administrator would like the VMware Cloud on AWS cluster to automatically scale-out and scale-in based on resource demand. Which two Elastic DRS policies can be configured to meet this requirement? (Choose two.)

- A. Elastic DRS Baseline policy
- B. Optimize for Best Performance policy
- C. Optimize for Lowest Cost policy
- D. Custom Elastic DRS policy

E. Optimize for Rapid Scale-Out policy

ANSWER: D E

Explanation:

The two Elastic DRS policies that can be configured to meet the requirement of automatically scaling out and in based on resource demand are the Custom Elastic DRS policy and the Optimize for Rapid Scale-Out policy. The Custom Elastic DRS policy allows you to configure the cluster to scale out when certain resource utilization thresholds are met, while the Optimize for Rapid Scale-Out policy allows you to configure the cluster to scale out when resource utilization is high and scale in when utilization is low.

Elastic DRS is a feature of VMware Cloud on AWS that enables automatic scaling of the cluster based on resource demand. To meet the requirement of automatic scaling, the administrator can configure a custom Elastic DRS policy or the Optimize for Rapid Scale-Out policy. Custom Elastic DRS policy allows administrator to define the custom rules for scale-out and scale-in based on resource utilization thresholds. Optimize for Rapid Scale-Out policy automatically scales-out the cluster when resource utilization threshold is met.

QUESTION NO: 10

When configuring VMware Cloud Disaster Recovery (VCDR), with what can protection groups and disaster recovery plans be associated?

- A. Only a single vCenter Instance In the on-premises data center or VMware Cloud software-defined data center (SDDC).
- B. Multiple vCenter instances in the same VMware Cloud software-defined data center (SDDC) or on-premises data center.
- C. Multiple vCenter instances in the same VMware Cloud software-defined data center (SDDC) or only a single vCenter in the on-premises data center.
- D. Only a single vCenter Instance in the VMware Cloud software-defined data center (SDDC) or multiple vCenter Instances In the on-premises data center.

ANSWER: A

Explanation:

vCenter Mapping Mapping vCenters in a DR plan consists of selecting source vCenters that are registered to the protected site. Choosing a target vCenter for a Failover SDDC is simple; each SDDC contains a single vCenter instance. For VMware Cloud Disaster Recovery, keep in mind that a protected site can have multiple registered vCenters, but you can only map one vCenter on VMware Cloud on AWS per-DR plan. <https://vmc.techzone.vmware.com/resource/introduction-vmware-cloud-disaster-recovery#inventory-and-resource-mapping> <https://vmc.techzone.vmware.com/resource/protection-groups-and-recovery-plans-vcdr#create-a-disaster-recovery-plan>