

DUMPSQUEEN

HCIP-Video Conference V2.0

Huawei H11-861 V2.0

Version Demo

Total Demo Questions: 20

Total Premium Questions: 598

Buy Premium PDF

<https://dumpsqueen.com>

support@dumpsqueen.com

dumpsqueen.com

Topic Break Down

Topic	No. of Questions
Topic 1, Exam Pool A	198
Topic 2, Exam Pool B	201
Topic 3, Exam Pool C	199
Total	598

QUESTION NO: 1

H.245 The main signaling consists of ().

- A. Capacity Negotiation
- B. The Master-Slave decides
- C. Call request
- D. Open/Close Logical Channel

ANSWER: A B D

QUESTION NO: 2

During the terminal registration GK phase, the UDP header in the RRQ registration request message contains the following information ().

- A. Caller Number
- B. Caller CS addr
- C. Caller RAS addr
- D. GK RAS addr

ANSWER: C D

QUESTION NO: 3

Common SIP calls to the SDP negotiation process include ().

- A. Invite with SDP, then 2xx response with SDP
- B. Invite with SDP, reliable 1xx response with SDP, and final 2xx response without SDP
- C. None with SDP
- D. Both Invite/Reinvite and Final Response (2xx) have an SDP response

ANSWER: A B D

QUESTION NO: 4

Common SIP calls the SDP negotiation process includes (). (3 answers).

- A. Invite with SDP, and then 2XX responds with SDP
- B. Invite with SDP, reliable 1XX response with SDP, and final 2XX response without SDP
- C. None with SDP
- D. Invite/Reinvite and Final Response (2XX) both come with SDP's processing

ANSWER: A B D

QUESTION NO: 5

Banners and subtitles are multicast. ()

- A. True
- B. False

ANSWER: B

QUESTION NO: 6

Adhoc meetings are instant meetings, users can activate the meeting and join the meeting on the terminal side, and the operation process has video and audio prompts.

- A. True
- B. False

ANSWER: A

QUESTION NO: 7

The MCU encodes each terminal image that needs to be added to the multi-screen combination, and when combined into a road image, it is transmitted to all terminals viewing the multi-screen

- A. True
- B. False

ANSWER: A

QUESTION NO: 8

Omnidirectional poetry is suitable for large conference rooms, and pointing pickup is suitable for small conference rooms.

- A. True
- B. False

ANSWER: B

QUESTION NO: 9

RAS performs administrative functions, the main content of which includes ().

- A. enroll
- B. Access Control
- C. safe
- D. State

ANSWER: A B D

QUESTION NO: 10

H.323 gateway refers to a node that provides real-time two-way traffic between the H.323 terminal on the SCN and other nodes on the PBN.

- A. True
- B. False

ANSWER: B

QUESTION NO: 11

The SIP protocol is an application-layer protocol.

- A. True
- B. False

ANSWER: A

QUESTION NO: 12

Which of the following features does the gatekeeper provide (3 answers).

- A. Address Translation
- B. Access Control
- C. Bandwidth Control
- D. Conference Control

ANSWER: A B C

QUESTION NO: 13

In the meeting room design, it is recommended to use a light-colored tablecloth to reflect astigmatism to give the participants a good amount of light on their faces (jaws).

- A. True
- B. False

ANSWER: A

QUESTION NO: 14

is a general multimedia communication control protocol, mainly for conference communication design, H.323 system using H.245 protocol as a control protocol, for the establishment, maintenance and release of control channels.

- A. True
- B. False

ANSWER: A

QUESTION NO: 15

Remote audio loopback, from audio input, encoding, transmission through the network to the remote end and then forwarded back, the main test network connection is normal.

- A. True
- B. False

ANSWER: A

QUESTION NO: 16

What are the correct items in the following description of the SIP protocol?

- A. The IP protocol uses a distributed architecture
- B. SIP is a protocol developed by IETF for multimedia sessions
- C. SIP is an application layer protocol
- D. SIP is a transport layer protocol

ANSWER: A B C

QUESTION NO: 17

Any color at the opposite end of the diameter of the color ring is called a complementary color. ()

- A. True
- B. False

ANSWER: A

QUESTION NO: 18

What addresses are typically included in the RRQ message for the GK registration record address when the node is registered? ()

- A. Caller Cs Addr
- B. Proxy Addr
- C. Caller Number
- D. Caller RAS Addr

ANSWER: A C D

QUESTION NO: 19

The following description of the advantages and disadvantages of forward error correction FEC is correctly ()

- A. The latency requirements are high, and the existing network is difficult to use; Only has an effect on small packet loss scenarios; Aggravate image jitter
- B. It basically does not occupy bandwidth resources and has little impact on image quality

C. Increase redundant data, occupy a certain amount of bandwidth, and reduce video efficiency; There is no way for sudden packet loss; Introduce a certain delay

D. Through the group combination check, it is possible to recover packet loss data with a certain probability, which is more effective for general packet loss scenarios

ANSWER: C D

QUESTION NO: 20

What are the correct items in the following description of the RTCP protocol?

A. RTCP is primarily responsible for the real-time transmission of multimedia data streams

B. RTCP carries a permanent transport layer identifier for an RTP source, which is called the canonical name or CNAME

C. RTCP port number = RTP port number +1

D. RTCP provides monitoring of quality of service and delivers informational answers from participants in media sessions

ANSWER: B C D