DUMPSQUEEN

IBM Robotic Process Automation v20.12.x Developer

IBM C1000-123

Version Demo

Total Demo Questions: 7

Total Premium Questions: 60

Buy Premium PDF

dumpsqueen.com

Which command combination is best used to ensure that a Robot cannot interact with an application (blocks hardware) until the application is fully loaded?

A. Attach Window

B. Type Text

C. Block Input

D. Mouse Command

E. Unblock Entry

ANSWER: A

When should developers utilize visual driver in IBM RPA Studio recorder?

A. When the bot needs to extract a structured data field from a PDF

B. When the bot needs to pick up a value from a table in an application

C. When the bot needs to perform actions on an element which the recorder is unable to pick up

D. When the bot needs to click on a button element on a web page

ANSWER: A

A bot script contains a single entry:

logMessage --message "Hello World" —type "info"

When executed by scheduling, which log contains "Hello World"?

A. Dashboard Log

B. RPA Studio Log

C. Bot Agent Log

D. Web Client Log

ANSWER: D

What are two valid options to see the logs for scheduled bot execution?

A. Under the Scripts menu in the Web Client selecting the scheduled script and accessing the Logs tab

B. Via Schedules menu in Web Client, selecting the scheduled script and searching for execution data

C. Accessing the logs from agent computer \execution_logs folder

D. Using Dashboard datasource LOGS

E. Reading logs from the System.Logs queue

ANSWER: B D

When does the Handle Error command start capturing all errors?

A. In the subroutine being called

B. Before the command is executed

C. The Handle Error only sets up the Stop Execution command

D. As soon as it is executed

ANSWER: C

Which two license features are included into and governed by IBM RPA license?

A. System Queue Server

B. Vault

C. Orchestrator (processes)

D. Scheduler

E. Runtime

ANSWER: A C

QUESTION NO: 7

Which statement is true for the user vault?

A. The user vault is recommended for attended automation.

B. An attended bot user cannot normally access the user vault.

C. Credentials in the user vault must be managed via Web Client.

D. The bot agent always needs the user vault.

ANSWER: A