HCIP-Security-CTSS V3.0

Huawei H12-723_V3.0

Version Demo

Total Demo Questions: 10

Total Premium Questions: 169

Buy Premium PDF

https://dumpsqueen.com

support@dumpsqueen.com

dumpsqueen.com

QUESTION NO: 1

If you are deploying BYOD When the system is installed, use a stand-alone installation SM, Dual-machine installation SC, Stand-alone hardware deployment AE, Which of the following descriptions are correct? (Multiple choice)

- A. AE Server priority use)SC server.
- B. Install AE When the server, you need to configure the main and standby SC Server IP address.
- C. If the Lord SC After the server fails, AE The server will use the backup SC server.
- D. host SC After the server is restored, AE Server will not switch back to master SC The server handles the business.

ANSWER: B C

QUESTION NO: 2

When configuring the antivirus software policy, if you set"The required antivirus software violation level is not installed or running"for"generally"And check"out Now serious violation of the rules prohibits access to the network"Options. When the user uses Any office Certify, The certification is passed, but the result of the security check Can the user access the network when the virus software is not turned on?

- A. Can access the network? Can also access network resources.
- B. Cannot access the network.
- **C.** Can pick up? The network needs to be repaired before you can access network resources.
- D. You can access the network, but you need to re-authenticate to access network resources.

ANSWER: C

QUESTION NO: 3

Use hardware SACG Access control, In hardware SACG View the results of the conversation table on the deduction.

Which of the following statements are correct? (Multiple choice)

- A. 192.168.1.0 definitely is Agile Controller-Campus Manager IP address
- **B.** if 192.126.200.11 Is the server of the post-authentication domain, then IP Address is 192.18.0.1 If your terminal has not passed the authentication, it is possible to access the server.
- C. 192.168.100.1 definitely is Agile Controller-Campus Controller IP address.

D. Ifin 6 Within minutes of the conversation 192.168.0.19 154->/192.162.0.11: 15080 Not refreshed,IP Address is 192.168.0.119 If the device wants to IP Address is 192.168.200.11 For device communication, the session must be reestablished.

ANSWER: A B D

QUESTION NO: 4

The useraccesses the network through the network access device, and the third-party RADIUS server authenticates and authorizes the user. Regarding the certification process, which of the following options is wrong?

- A. Configure RADIUS authentication and accountingon the RADIUS server.
- **B.** Configure the Agile Controller-Campus for local data source authentication, receive the packets sent by the device, and perform authentication.
- C. Configure RADIUS authentication and accounting on the device side. W"
- **D.** Configure RADIUS authentication and authorization on the Agile Controller-Campus.

ANSWER: B

QUESTION NO: 5

In some scenarios, ananonymous account can be used for authentication. What are the correct descriptions of the following options for the anonymous account?? (Multiple choice)

- **A.** The use of anonymous accounts for authentication is based on the premise of trusting the other party, and the authentication agency does not need the other party to provide identity information to provide services to the other party.
- B. Agile Controller-Campus Need to be manually created"~anonymous"account number.
- **C.** By default, the access control andpolicy of anonymous accounts cannot be performed. 1 Operations such as invoking patch templates and software distribution.
- **D.** Administrators cannot delete anonymous accounts"~anonymous*.

ANSWER: A D

QUESTION NO: 6

| | Install Agile Controller-Campus | Which of the following | steps do not need to be | completed before |
|--|---------------------------------|------------------------|-------------------------|------------------|
|--|---------------------------------|------------------------|-------------------------|------------------|

- A. Install the operating system
- B. Install the database
- C. Install antivirus software
- D. Import License

| Δ | N | S١ | N | F | R | • | ח |
|---|----|--------------|-----|---|---|---|---|
| _ | 14 | \mathbf{u} | , , | _ | | | _ |

QUESTION NO: 7

The terminal host access control function does not take effect, the following is SACG View information on:

display right- manager role-id rule

Advanced ACL 3099 ,25 rules,not bingding with vpn-instance Ad's step is 1 rule 1000 permit ip (1280 times matched)

rule 1001 permit ip destination 172.18.11.2210 (581 times matched)

rule 1002 permit ip destination 172:18.11.2230 (77 times matched)

rule 1003 permit ip destination 172.19.0.0 0.0 255.255 (355 Book times matched) rule 1004 deny ip (507759 times matched)

Which of the following statements is correct?

- A. 172.18.11.221 It is the server of the isolation domain.
- **B.** The escape route wasopened.
- **C.** 172.18.11.223 It is a post-domain server.
- **D.** The terminal host stream is the default ACL Blocked.

ANSWER: B

QUESTION NO: 8

After the user is successfully authenticated, Agile Controller-Campus Which of the following actions can be performed on theuser(Multiple choice)

- **A.** To use Any Office The connected user performs remote assistance.
- **B.** Force users to go offline.
- C. Audit users' online and offline records.

| D. Disable the mobile certificate account/Disable and assign roles. |
|--|
| |
| ANSWER: A B C D |
| |
| QUESTION NO: 9 |
| For hardware SACC Access control, if the terminal does not pass the authentication, it can access the resources of the post-authentication domain. This phenomenon may be caused by the following reasons? (Multiple choice) |
| A. Authentication data flow has passed SACG filter. |
| B. TSM No hardware is added to the system SACG equipment. |
| C. SACG Enable the default inter-domain packetfiltering. |
| D. Privileges are misconfigured IP |
| |
| |
| ANSWER: C D |
| |
| QUESTION NO: 10 |
| MAC Bypass authentication means that after the terminal is connected to the network, the access control device automatically obtains the terminal MAC Address, which is sent to RADIUS The serverperforms euverification. |
| A. True |
| B. False |
| |
| |
| ANSWER: B |
| |
| |
| |
| |
| |