# SAP Certified Development AssociateSAP Customer Data Cloud

SAP C C4H620 24

**Version Demo** 

**Total Demo Questions: 10** 

**Total Premium Questions: 80** 

**Buy Premium PDF** 

https://dumpsqueen.com

support@dumpsqueen.com

dumpsqueen.com

#### **QUESTION NO: 1**

The account progression policy is set to automatic and a user registers a full account with the same e-mail as an existing lite account. What happens to the lite account data?

- A. Only subscription data is copied into the full account.
- B. All data, including data provided during full registration, is copied into the full account.
- C. Only profile and custom data are copied into the full account.
- D. Any data that is NOT provided during the full registration are copied into the full account.

#### **ANSWER: B**

#### **QUESTION NO: 2**

Which components can you add to an IdentitySync dataflow? Note: There are 3 correct answer to this question

- A. A datatarget component
- **B.** A file component
- C. A datasource component
- **D.** A social component
- E. A field component

#### ANSWER: B C E

#### **QUESTION NO: 3**

You are implementing SAP Customer Consent using Screen-Sets, but without SAP Customer Identity. Which API call do you need to use to initiate the process of collecting consent?

- A. accounts.register
- B. accounts.login
- C. accounts.notifyLogin
- D. accounts.initRegistration

#### **ANSWER: C**

#### **QUESTION NO: 4**

You are setting up a new marketing campaign and want to make sure all subscriptions are genuine. How do you make sure users have to confirm via e-mail that they indeed wish to subscribe?

- A. Enable double opt-in in the subscription.
- **B.** Enable e-mail verification in the subscription.
- C. Enable the required flag in the subscription.
- D. Enable the active flag in the subscription.

**ANSWER: C** 

#### **QUESTION NO: 5**

You are implementing a mobile app and want to expire user sessions after 1800 seconds. How can you achieve this? Note: There are 2 correct answer to this question

- A. By passing a value of 1800 for the sessionExpiration parameter when calling accounts.login
- B. By having a value of 1800 for the sessionExpiration parameter in global configuration
- C. By passing a value of 1800 for the sessionTimeout parameter in WebSDK configuration
- D. By having a value of 1800 for the sessionExpiration parameter in cookie settings

**ANSWER: A C** 

#### **QUESTION NO: 6**

You want to create a new optional data sharing consent. What type of consent should you create?

- A. Other consent statement
- **B.** Subscription consent statement
- C. Terms of Service consent statement
- **D.** Privacy Policy consent statement

**ANSWER: A** 

#### **QUESTION NO: 7**

Which of the following screens are part of the default Profile Update Screen-Set? Note: There are 3 correct answer to this question

- A. Privacy
- B. Mandatory Password Change
- **C.** Communication
- D. Change Password
- E. Link Accounts

#### **ANSWER: A C D**

#### **QUESTION NO: 8**

What login identifiers can you define when setting up your RaaS policies? Note: There are 2 correct answer to this question

- A. A username
- B. An e-mail address
- C. A phone number
- D. A social network identifier

#### ANSWER: A B

#### **QUESTION NO: 9**

You are implementing a Web site that will allow users to log in using their company credentials by initiating an OIDC flow. How would you configure your Web site and SAP Customer Data Cloud?

- A. SAP Customer Data Cloud as the RP, and the Web site as the IdP
- B. SAP Customer Data Cloud as the OP, and the Web site as the RP
- C. SAP Customer Data Cloud as the IdP, and the Web site as the SP
- D. SAP Customer Data Cloud as the SP, and the Web site as the OP

#### **ANSWER: B**

#### **QUESTION NO: 10**

You are editing an IdentitySync dataflow. Which actions can you perform? Note: There are 2 correct answer to this question

- A. Use the datasource.lookup component to check if a record exists in SAP Customer Data Cloud.
- **B.** Preview the schema in a datasource component.

- **C.** Add multiple Next steps to a component.
- **D.** Add a component responsible for starting the schedule of the dataflow.

**ANSWER: A C**